

The following warnings have been detected: WARNING: HK2 failure has been detected in a code that does not run in an active Jersey Error scope.

WARNING: HK2 service reification failed for [org.glassfish.jersey.jaxb.internal.XmlCollectionJaxbProvider\$General] with an exception:

MultiException stack 1 of 4

java.lang.RuntimeException: java.util.concurrent.ExecutionException:  
java.lang.NoClassDefFoundError: javax/xml/bind/Marshaller

at

org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCache.java:315)

at

org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl.getAllMethods(ClassReflectionHelperImpl.java:108)

at

org.jvnet.hk2.internal.Utilities.findInitializerMethods(Utilities.java:1424)

at

org.jvnet.hk2.internal.DefaultClassAnalyzer.getInitializerMethods(DefaultClassAnalyzer.java:107)

at

org.glassfish.jersey.inject.hk2.JerseyClassAnalyzer.getInitializerMethods(JerseyClassAnalyzer.java:242)

at

org.jvnet.hk2.internal.Utilities.getInitMethods(Utilities.java:220)

at

org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:145)

at

org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:180)

at

org.jvnet.hk2.internal.SystemDescriptor.internalReify(SystemDescriptor.java:740)

at

org.jvnet.hk2.internal.SystemDescriptor.reify(SystemDescriptor.java:694)

at

org.jvnet.hk2.internal.ServiceLocatorImpl.reifyDescriptor(ServiceLocatorImpl.java:464)

at

org.jvnet.hk2.internal.ServiceLocatorImpl.narrow(ServiceLocatorImpl.java:2310)

at

org.jvnet.hk2.internal.ServiceLocatorImpl.access\$1200(ServiceLocatorImpl.java:128)

at

org.jvnet.hk2.internal.ServiceLocatorImpl\$9.compute(ServiceLocatorImpl.java:1395)

at

org.jvnet.hk2.internal.ServiceLocatorImpl\$9.compute(ServiceLocatorImpl.java:1390)

at

```
org.glassfish.hk2.utilities.cache.internal.WeakCARCacheImpl.compute(
WeakCARCacheImpl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.internalGetAllServiceHandles(
ServiceLocatorImpl.java:1452)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(Servi
ceLocatorImpl.java:1377)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(Servi
ceLocatorImpl.java:1366)
    at
org.glassfish.jersey.inject.hk2.AbstractHk2InjectionManager.getAllSe
rviceHolders(AbstractHk2InjectionManager.java:158)
    at
org.glassfish.jersey.inject.hk2.ImmediateHk2InjectionManager.getAllS
erviceHolders(ImmediateHk2InjectionManager.java:54)
    at
org.glassfish.jersey.internal.inject.Providers.getServiceHolders(Pro
viders.java:329)
    at
org.glassfish.jersey.internal.inject.Providers.getProviders(Provider
s.java:157)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory.initialize(
MessageBodyFactory.java:265)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory$MessageBody
WorkersConfigurator.postInit(MessageBodyFactory.java:136)
    at
org.glassfish.jersey.client.ClientConfig$State.lambda$initRuntime$2(
ClientConfig.java:470)
    at java.base/java.util.Arrays$ArrayList.forEach(Unknown
Source)
    at
org.glassfish.jersey.client.ClientConfig$State.initRuntime(ClientCon
fig.java:470)
    at
org.glassfish.jersey.internal.util.collection.Values$LazyValueImpl.g
et(Values.java:341)
    at
org.glassfish.jersey.client.ClientConfig.getRuntime(ClientConfig.jav
a:826)
    at
org.glassfish.jersey.client.ClientRequest.getConfiguration(ClientReq
uest.java:285)
    at
org.glassfish.jersey.client.JerseyInvocation.validateHttpMethodAndEn
tity(JerseyInvocation.java:143)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:112)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
```

```
.java:108)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:99)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.method(JerseyIn
vocation.java:419)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.get(JerseyInvoc
ation.java:319)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.upda
teMissionValues(OCSSWInstallerFormRemote.java:50)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerForm.<init>(OCS
SWInstallerForm.java:116)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.<ini
t>(OCSSWInstallerFormRemote.java:32)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.getProgr
amUI(CallCloProgramAction.java:107)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.actionPe
rformed(CallCloProgramAction.java:151)
    at java.desktop/
javax.swing.AbstractButton.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.AbstractButton$Handler.actionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.setPressed(Unknown Source)
    at java.desktop/javax.swing.AbstractButton.doClick(Unknown
Source)
    at java.desktop/
com.apple.laf.ScreenMenuItem.actionPerformed(Unknown Source)
    at java.desktop/java.awt.MenuItem.processActionEvent(Unknown
Source)
    at java.desktop/java.awt.MenuItem.processEvent(Unknown
Source)
    at java.desktop/
java.awt.MenuComponent.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.MenuComponent.dispatchEvent(Unknown
Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
```

```
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown
Source)
    at
org.netbeans.core.TimableEventQueue.dispatchEvent(TimableEventQueue.
java:136)
    at java.desktop/
java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForHierarchy(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(Unknown Source)
    at java.desktop/java.awt.EventDispatchThread.run(Unknown
Source)
Caused by: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Marshaller
    at java.base/java.util.concurrent.FutureTask.report(Unknown
Source)
    at java.base/java.util.concurrent.FutureTask.get(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.get(LRUHybridCache.java:164)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:303)
    ... 69 more
Caused by: java.lang.NoClassDefFoundError: javax/xml/bind/Marshaller
    at java.base/java.lang.Class.getDeclaredMethods0(Native
Method)
    at java.base/
java.lang.Class.privateGetDeclaredMethods(Unknown Source)
    at java.base/java.lang.Class.getDeclaredMethods(Unknown
Source)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:104)
    at java.base/
```

```
java.security.AccessController.doPrivileged(Native Method)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities.secureGetDeclaredMethods(ClassReflectionHelperUtilities.java:104)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities.getDeclaredMethodWrappers(ClassReflectionHelperUtilities.java:133)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:192)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:193)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl$3.compute(ClassReflectionHelperImpl.java:84)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl$3.compute(ClassReflectionHelperImpl.java:80)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCache.java:292)
```

... 69 more

```
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Marshaller starting from
ModuleCL@1d06b9c2[gov.nasa.gsfc.seadas.seadas.processing] with
possible defining loaders
[ModuleCL@7e8c206d[eu.esa.opt.opttbx.enmap.reader],
ModuleCL@7f7b8ad9[org.esa.snap.snap.big TIFF],
ModuleCL@54ecd0da[org.esa.snap.ceres.jai],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@79f6d5df[org.esa.snap.snap.classification],
ModuleCL@7d4c7ca[org.esa.snap.snap.remote.products.repository]] and
declared parents [ModuleCL@29863bdd[org.esa.snap.ceres.core],
ModuleCL@6e762690[org.esa.snap.snap.ui],
ModuleCL@665c093[org.esa.snap.snap.rcp],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@17bb3a96[org.esa.snap.snap.gpf.ui],
ModuleCL@5d343197[org.esa.snap.ceres.ui],
```

```
ModuleCL@c873eda[org.esa.snap.ceres.binding]]
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:211)
    at
org.netbeans.ProxyClassLoader.loadClass(ProxyClassLoader.java:125)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    ... 86 more
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Marshaller
    at java.base/
jdk.internal.loader.BuiltinClassLoader.loadClass(Unknown Source)
    at java.base/
jdk.internal.loader.ClassLoaders$AppClassLoader.loadClass(Unknown
Source)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:209)
    ... 88 more
MultiException stack 2 of 4
java.lang.RuntimeException: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Marshaller
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:315)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.getAllMethods(ClassReflectionHelperImpl.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.getPostConstructMethod(ClassReflectionHelperImpl.java:184)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.access$200(ClassReflectionHelperImpl.java:56)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$1.compute(ClassReflectionHelperImpl.java:64)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$1.compute(ClassReflectionHelperImpl.java:60)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:292)
    at
```

```
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl.findPostConstruct(ClassReflectionHelperImpl.java:119)
    at
org.jvnet.hk2.internal.Utilities.findPostConstruct(Utilities.java:1460)
    at
org.jvnet.hk2.internal.DefaultClassAnalyzer.getPostConstructMethod(DefaultClassAnalyzer.java:130)
    at
org.glassfish.jersey.inject.hk2.JerseyClassAnalyzer.getPostConstructMethod(JerseyClassAnalyzer.java:252)
    at
org.jvnet.hk2.internal.Utilities.getPostConstruct(Utilities.java:281)
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:169)
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:180)
    at
org.jvnet.hk2.internal.SystemDescriptor.internalReify(SystemDescriptor.java:740)
    at
org.jvnet.hk2.internal.SystemDescriptor.reify(SystemDescriptor.java:694)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.reifyDescriptor(ServiceLocatorImpl.java:464)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.narrow(ServiceLocatorImpl.java:2310)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.access$1200(ServiceLocatorImpl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorImpl.java:1395)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorImpl.java:1390)
    at
org.glassfish.hk2.utilities.cache.internal.WeakCARCacheImpl.compute(WeakCARCacheImpl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.internalGetAllServiceHandles(ServiceLocatorImpl.java:1452)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(ServiceLocatorImpl.java:1377)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(ServiceLocatorImpl.java:1366)
    at
```

```
org.glassfish.jersey.inject.hk2.AbstractHk2InjectionManager.getAllServiceHolders(AbstractHk2InjectionManager.java:158)
    at
org.glassfish.jersey.inject.hk2.ImmediateHk2InjectionManager.getAllServiceHolders(ImmediateHk2InjectionManager.java:54)
    at
org.glassfish.jersey.internal.inject.Providers.getServiceHolders(Providers.java:329)
    at
org.glassfish.jersey.internal.inject.Providers.getProviders(Providers.java:157)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory.initialize(MessageBodyFactory.java:265)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory$MessageBodyWorkersConfigurator.postInit(MessageBodyFactory.java:136)
    at
org.glassfish.jersey.client.ClientConfig$State.lambda$initRuntime$2(ClientConfig.java:470)
    at java.base/java.util.Arrays$ArrayList.forEach(Unknown Source)
    at
org.glassfish.jersey.client.ClientConfig$State.initRuntime(ClientConfig.java:470)
    at
org.glassfish.jersey.internal.util.collection.Values$LazyValueImpl.get(Values.java:341)
    at
org.glassfish.jersey.client.ClientConfig.getRuntime(ClientConfig.java:826)
    at
org.glassfish.jersey.client.ClientRequest.getConfiguration(ClientRequest.java:285)
    at
org.glassfish.jersey.client.JerseyInvocation.validateHttpMethodAndEntity(JerseyInvocation.java:143)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:112)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:108)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:99)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.method(JerseyInvocation.java:419)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.get(JerseyInvocation.java:319)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.upda
```

```
teMissionValues(OCSSWInstallerFormRemote.java:50)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerForm.<init>(OCSSWInstallerForm.java:116)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.<init>(OCSSWInstallerFormRemote.java:32)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.getProgramUI(CallCloProgramAction.java:107)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.actionPerformed(CallCloProgramAction.java:151)
    at java.desktop/
javax.swing.AbstractButton.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.AbstractButton$Handler.actionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.setPressed(Unknown Source)
    at java.desktop/javafx.swing.AbstractButton.doClick(Unknown Source)
    at java.desktop/
com.apple.laf.ScreenMenuItem.actionPerformed(Unknown Source)
    at java.desktop/java.awt.MenuItem.processActionEvent(Unknown Source)
    at java.desktop/java.awt.MenuItem.processEvent(Unknown Source)
    at java.desktop/
java.awt.MenuComponent.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.MenuComponent.dispatchEvent(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPrivilege(Unknown Source)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPrivilege(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPrivilege(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown Source)
Source)
```

```
    at
org.netbeans.core.TimableEventQueue.dispatchEvent(TimableEventQueue.
java:136)
    at java.desktop/
java.awt.EventQueue.dispatchEvent(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEvent(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEvent(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEvent(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEvent(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown
Source)
Caused by: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Marshaller
    at java.base/java.util.concurrent.FutureTask.report(Unknown
Source)
    at java.base/java.util.concurrent.FutureTask.get(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.get(LRUHybridCache.java:164)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:303)
    ... 79 more
Caused by: java.lang.NoClassDefFoundError: javax/xml/bind/Marshaller
    at java.base/java.lang.Class.getDeclaredMethods0(Native
Method)
    at java.base/
java.lang.Class.privateGetDeclaredMethods(Unknown Source)
    at java.base/java.lang.Class.getDeclaredMethods(Unknown
Source)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:104)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.secureGetDeclaredMethods(ClassReflectionHelperUtilities.j
ava:104)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getDeclaredMethodWrappers(ClassReflectionHelperUtilities.
java:133)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:
```

```
192)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:193)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl$3.compute(ClassReflectionHelperImpl.java:84)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl$3.compute(ClassReflectionHelperImpl.java:80)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCache.java:292)
    ... 79 more
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Marshaller starting from
ModuleCL@1d06b9c2[gov.nasa.gsfc.seadas.seadas.processing] with
possible defining loaders
[ModuleCL@7e8c206d[eu.esa.opt.opttbx.enmap.reader],
ModuleCL@7f7b8ad9[org.esa.snap.snap.bigstiff],
ModuleCL@54ecd0da[org.esa.snap.ceres.jail],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@79f6d5df[org.esa.snap.snap.classification],
ModuleCL@7d4c7ca[org.esa.snap.snap.remote.products.repository]] and
declared parents [ModuleCL@29863bdd[org.esa.snap.ceres.core],
ModuleCL@6e762690[org.esa.snap.snap.ui],
ModuleCL@665c093[org.esa.snap.snap.rcp],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@17bb3a96[org.esa.snap.snap.gpf.ui],
ModuleCL@5d343197[org.esa.snap.ceres.ui],
ModuleCL@c873eda[org.esa.snap.ceres.binding]]
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:211)
    at
org.netbeans.ProxyClassLoader.loadClass(ProxyClassLoader.java:125)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    ... 96 more
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Marshaller
    at java.base/
jdk.internal.loader.BuiltinClassLoader.loadClass(Unknown Source)
    at java.base/
```

```
jdk.internal.loader.ClassLoaders$AppClassLoader.loadClass(Unknown
Source)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:209)
    ... 98 more
MultiException stack 3 of 4
java.lang.RuntimeException: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Marshaller
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:315)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.getAllMethods(ClassReflectionHelperImpl.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.getPreDestroyMethod(ClassReflectionHelperImpl.java:209)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.access$400(ClassReflectionHelperImpl.java:56)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$2.compute(ClassReflectionHelperImpl.java:74)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$2.compute(ClassReflectionHelperImpl.java:70)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:292)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.findPreDestroy(ClassReflectionHelperImpl.java:125)
    at
org.jvnet.hk2.internal.Utilities.findPreDestroy(Utilities.java:1476)
    at
org.jvnet.hk2.internal.DefaultClassAnalyzer.getPreDestroyMethod(Defa
ultClassAnalyzer.java:141)
    at
org.glassfish.jersey.inject.hk2.JerseyClassAnalyzer.getPreDestroyMet
hod(JerseyClassAnalyzer.java:257)
    at
org.jvnet.hk2.internal.Utilities.getPreDestroy(Utilities.java:303)
```

```
        at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:170
)
        at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:180
)
        at
org.jvnet.hk2.internal.SystemDescriptor.internalReify(SystemDescript
or.java:740)
        at
org.jvnet.hk2.internal.SystemDescriptor.reify(SystemDescriptor.java:
694)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.reifyDescriptor(ServiceLoc
atorImpl.java:464)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.narrow(ServiceLocatorImpl.
java:2310)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.access$1200(ServiceLocator
Impl.java:128)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1395)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1390)
        at
org.glassfish.hk2.utilities.cache.internal.WeakCARCacheImpl.compute(
WeakCARCacheImpl.java:128)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.internalGetAllServiceHandl
es(ServiceLocatorImpl.java:1452)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(Servi
ceLocatorImpl.java:1377)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(Servi
ceLocatorImpl.java:1366)
        at
org.glassfish.jersey.inject.hk2.AbstractHk2InjectionManager.getAllSe
rviceHolders(AbstractHk2InjectionManager.java:158)
        at
org.glassfish.jersey.inject.hk2.ImmediateHk2InjectionManager.getAllS
erviceHolders(ImmediateHk2InjectionManager.java:54)
        at
org.glassfish.jersey.internal.inject.Providers.getServiceHolders(Pro
viders.java:329)
        at
org.glassfish.jersey.internal.inject.Providers.getProviders(Provider
s.java:157)
        at
org.glassfish.jersey.message.internal.MessageBodyFactory.initialize(
MessageBodyFactory.java:265)
```

```
    at
org.glassfish.jersey.message.internal.MessageBodyFactory$MessageBody
WorkersConfigurator.postInit(MessageBodyFactory.java:136)
    at
org.glassfish.jersey.client.ClientConfig$State.lambda$initRuntime$2(
ClientConfig.java:470)
    at java.base/java.util.Arrays$ArrayList.forEach(Unknown
Source)
    at
org.glassfish.jersey.client.ClientConfig$State.initRuntime(ClientCon
fig.java:470)
    at
org.glassfish.jersey.internal.util.collection.Values$LazyValueImpl.g
et(Values.java:341)
    at
org.glassfish.jersey.client.ClientConfig.getRuntime(ClientConfig.jav
a:826)
    at
org.glassfish.jersey.client.ClientRequest.getConfiguration(ClientReq
uest.java:285)
    at
org.glassfish.jersey.client.JerseyInvocation.validateHttpMethodAndEn
tity(JerseyInvocation.java:143)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:112)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:108)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:99)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.method(JerseyIn
vocation.java:419)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.get(JerseyInvoc
ation.java:319)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.upda
teMissionValues(OCSSWInstallerFormRemote.java:50)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerForm.<init>(OCS
SWInstallerForm.java:116)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.<ini
t>(OCSSWInstallerFormRemote.java:32)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.getProgr
amUI(CallCloProgramAction.java:107)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.actionPe
rformed(CallCloProgramAction.java:151)
    at java.desktop/
```

```
javax.swing.AbstractButton.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.AbstractButton$Handler.actionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.setPressed(Unknown Source)
    at java.desktop/javax.swing.AbstractButton.doClick(Unknown
Source)
    at java.desktop/
com.apple.laf.ScreenMenuItem.actionPerformed(Unknown Source)
    at java.desktop/java.awt.MenuItem.processActionEvent(Unknown
Source)
    at java.desktop/java.awt.MenuItem.processEvent(Unknown
Source)
    at java.desktop/
java.awt.MenuComponent.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.MenuComponent.dispatchEvent(Unknown
Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown
Source)
    at
org.netbeans.core.TimableEventQueue.dispatchEvent(TimableEventQueue.
java:136)
    at java.desktop/
java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForHierarchy(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(Unknown Source)
    at java.desktop/java.awt.EventDispatchThread.run(Unknown
```

```
Source)
Caused by: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Marshaller
    at java.base/java.util.concurrent.FutureTask.report(Unknown
Source)
    at java.base/java.util.concurrent.FutureTask.get(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.get(LRUHybridCache.java:164)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:303)
    ... 79 more
Caused by: java.lang.NoClassDefFoundError: javax/xml/bind/Marshaller
    at java.base/java.lang.Class.getDeclaredMethods0(Native
Method)
    at java.base/
java.lang.Class.privateGetDeclaredMethods(Unknown Source)
    at java.base/java.lang.Class.getDeclaredMethods(Unknown
Source)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:104)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.secureGetDeclaredMethods(ClassReflectionHelperUtilities.j
ava:104)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getDeclaredMethodWrappers(ClassReflectionHelperUtilities.
java:133)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:
192)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:
193)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$3.compute(ClassReflectionHelperImpl.java:84)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$3.compute(ClassReflectionHelperImpl.java:80)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:115)
```

```
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCache.java:292)
```

... 79 more

```
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Marshaller starting from
ModuleCL@1d06b9c2[gov.nasa.gsfc.seadas.seadas.processing] with
possible defining loaders
[ModuleCL@7e8c206d[eu.esa.opt.opttbx.enmap.reader],
ModuleCL@7f7b8ad9[org.esa.snap.snap.bigtiff],
ModuleCL@54ecd0da[org.esa.snap.ceres.jai],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@79f6d5df[org.esa.snap.snap.classification],
ModuleCL@7d4c7ca[org.esa.snap.snap.remote.products.repository]] and
declared parents [ModuleCL@29863bdd[org.esa.snap.ceres.core],
ModuleCL@6e762690[org.esa.snap.snap.ui],
ModuleCL@665c093[org.esa.snap.snap.rcp],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@17bb3a96[org.esa.snap.snap.gpf.ui],
ModuleCL@5d343197[org.esa.snap.ceres.ui],
ModuleCL@c873eda[org.esa.snap.ceres.binding]]
```

```
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:211)
    at
org.netbeans.ProxyClassLoader.loadClass(ProxyClassLoader.java:125)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    ... 96 more
```

```
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Marshaller
    at java.base/
jdk.internal.loader.BuiltinClassLoader.loadClass(Unknown Source)
    at java.base/
jdk.internal.loader.ClassLoaders$AppClassLoader.loadClass(Unknown Source)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:209)
    ... 98 more
```

MultiException stack 4 of 4

```
java.lang.IllegalArgumentException: Errors were discovered while
reifying SystemDescriptor(
```

```
implementation=org.glassfish.jersey.jaxb.internal.XmlCollectionJaxbProvider$General
```

```
contracts={javax.ws.rs.ext.MessageBodyWriter,javax.ws.rs.ext.Message
```

```
BodyReader}
    scope=javax.inject.Singleton
    qualifiers={}
    descriptorType=CLASS
    descriptorVisibility=NORMAL
    metadata=
    rank=0
    loader=null
    proxiabile=null
    proxyForSameScope=null
    analysisName=null
    id=67
    locatorId=9
    identityHashCode=672574295
    reified=false)
    at
org.jvnet.hk2.internal.SystemDescriptor.reify(SystemDescriptor.java:
705)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.reifyDescriptor(ServiceLoc
atorImpl.java:464)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.narrow(ServiceLocatorImpl.
java:2310)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.access$1200(ServiceLocator
Impl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1395)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1390)
    at
org.glassfish.hk2.utilities.cache.internal.WeakCARCacheImpl.compute(
WeakCARCacheImpl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.internalGetAllServiceHandl
es(ServiceLocatorImpl.java:1452)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(Servi
ceLocatorImpl.java:1377)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(Servi
ceLocatorImpl.java:1366)
    at
org.glassfish.jersey.inject.hk2.AbstractHk2InjectionManager.getAllSe
rviceHolders(AbstractHk2InjectionManager.java:158)
    at
org.glassfish.jersey.inject.hk2.ImmediateHk2InjectionManager.getAllS
erviceHolders(ImmediateHk2InjectionManager.java:54)
    at
org.glassfish.jersey.internal.inject.Providers.getServiceHolders(Pro
viders.java:329)
```

```
    at
org.glassfish.jersey.internal.inject.Providers.getProviders(Provider
s.java:157)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory.initialize(
MessageBodyFactory.java:265)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory$MessageBody
WorkersConfigurator.postInit(MessageBodyFactory.java:136)
    at
org.glassfish.jersey.client.ClientConfig$State.lambda$initRuntime$2(
ClientConfig.java:470)
    at java.base/java.util.Arrays$ArrayList.forEach(Unknown
Source)
    at
org.glassfish.jersey.client.ClientConfig$State.initRuntime(ClientCon
fig.java:470)
    at
org.glassfish.jersey.internal.util.collection.Values$LazyValueImpl.g
et(Values.java:341)
    at
org.glassfish.jersey.client.ClientConfig.getRuntime(ClientConfig.jav
a:826)
    at
org.glassfish.jersey.client.ClientRequest.getConfiguration(ClientReq
uest.java:285)
    at
org.glassfish.jersey.client.JerseyInvocation.validateHttpMethodAndEn
tity(JerseyInvocation.java:143)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:112)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:108)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:99)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.method(JerseyIn
vocation.java:419)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.get(JerseyInvoc
ation.java:319)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.upda
teMissionValues(OCSSWInstallerFormRemote.java:50)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerForm.<init>(OCS
SWInstallerForm.java:116)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.<ini
t>(OCSSWInstallerFormRemote.java:32)
    at
```

```
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.getProgramUI(CallCloProgramAction.java:107)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.actionPerformed(CallCloProgramAction.java:151)
    at java.desktop/
javax.swing.AbstractButton.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.AbstractButton$Handler.actionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.setPressed(Unknown Source)
    at java.desktop/javax.swing.AbstractButton.doClick(Unknown Source)
    at java.desktop/
com.apple.laf.ScreenMenuItem.actionPerformed(Unknown Source)
    at java.desktop/java.awt.MenuItem.processActionEvent(Unknown Source)
    at java.desktop/java.awt.MenuItem.processEvent(Unknown Source)
    at java.desktop/
java.awt.MenuComponent.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.MenuComponent.dispatchEvent(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPrivilege(Unknown Source)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPrivilege(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPrivilege(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown Source)
    at
org.netbeans.core.TimableEventQueue.dispatchEvent(TimableEventQueue.java:136)
    at java.desktop/
java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
    at java.desktop/
```

```
java.awt.EventQueueThread.pumpEventsForHierarchy(Unknown Source)
    at java.desktop/
java.awt.EventQueueThread.pumpEvents(Unknown Source)
    at java.desktop/
java.awt.EventQueueThread.pumpEvents(Unknown Source)
    at java.desktop/java.awt.EventQueueThread.run(Unknown
Source)
```

The following warnings have been detected: WARNING: HK2 failure has been detected in a code that does not run in an active Jersey Error scope.

WARNING: HK2 service reification failed for [org.glassfish.jersey.jaxb.internal.XmlRootElementJaxbProvider\$App] with an exception:

MultiException stack 1 of 4

```
java.lang.RuntimeException: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller
```

```
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:315)
```

```
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.getAllMethods(ClassReflectionHelperImpl.java:108)
```

```
    at
org.jvnet.hk2.internal.Utilities.findInitializerMethods(Utilities.ja
va:1424)
```

```
    at
org.jvnet.hk2.internal.DefaultClassAnalyzer.getInitializerMethods(De
faultClassAnalyzer.java:107)
```

```
    at
org.glassfish.jersey.inject.hk2.JerseyClassAnalyzer.getInitializerMe
thods(JerseyClassAnalyzer.java:242)
```

```
    at
org.jvnet.hk2.internal.Utilities.getInitMethods(Utilities.java:220)
```

```
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:145
)
```

```
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:180
)
```

```
    at
org.jvnet.hk2.internal.SystemDescriptor.internalReify(SystemDescript
or.java:740)
```

```
    at
org.jvnet.hk2.internal.SystemDescriptor.reify(SystemDescriptor.java:
694)
```

```
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.reifyDescriptor(ServiceLoc
atorImpl.java:464)
```

```
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.narrow(ServiceLocatorImpl.
java:2310)
```

```
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.access$1200(ServiceLocator
```

```
Impl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorImpl.java:1395)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorImpl.java:1390)
    at
org.glassfish.hk2.utilities.cache.internal.WeakCARCacheImpl.compute(WeakCARCacheImpl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.internalGetAllServiceHandles(ServiceLocatorImpl.java:1452)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(ServiceLocatorImpl.java:1377)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(ServiceLocatorImpl.java:1366)
    at
org.glassfish.jersey.inject.hk2.AbstractHk2InjectionManager.getAllServiceHolders(AbstractHk2InjectionManager.java:158)
    at
org.glassfish.jersey.inject.hk2.ImmediateHk2InjectionManager.getAllServiceHolders(ImmediateHk2InjectionManager.java:54)
    at
org.glassfish.jersey.internal.inject.Providers.getServiceHolders(Providers.java:329)
    at
org.glassfish.jersey.internal.inject.Providers.getProviders(Providers.java:157)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory.initialize(MessageBodyFactory.java:265)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory$MessageBodyWorkersConfigurator.postInit(MessageBodyFactory.java:136)
    at
org.glassfish.jersey.client.ClientConfig$State.lambda$initRuntime$2(ClientConfig.java:470)
    at java.base/java.util.Arrays$ArrayList.forEach(Unknown Source)
    at
org.glassfish.jersey.client.ClientConfig$State.initRuntime(ClientConfig.java:470)
    at
org.glassfish.jersey.internal.util.collection.Values$LazyValueImpl.get(Values.java:341)
    at
org.glassfish.jersey.client.ClientConfig.getRuntime(ClientConfig.java:826)
    at
org.glassfish.jersey.client.ClientRequest.getConfiguration(ClientRequest.java:285)
```

```
    at
org.glassfish.jersey.client.JerseyInvocation.validateHttpMethodAndEntity(JerseyInvocation.java:143)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:112)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:108)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:99)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.method(JerseyInvocation.java:419)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.get(JerseyInvocation.java:319)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.updateMissionValues(OCSSWInstallerFormRemote.java:50)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerForm.<init>(OCSSWInstallerForm.java:116)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.<init>(OCSSWInstallerFormRemote.java:32)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.getProgramUI(CallCloProgramAction.java:107)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.actionPerformed(CallCloProgramAction.java:151)
    at java.desktop/
javax.swing.AbstractButton.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.AbstractButton$Handler.actionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.setPressed(Unknown Source)
    at java.desktop/javax.swing.AbstractButton.doClick(Unknown Source)
    at java.desktop/
com.apple.laf.ScreenMenuItem.actionPerformed(Unknown Source)
    at java.desktop/java.awt.MenuItem.processActionEvent(Unknown Source)
    at java.desktop/java.awt.MenuItem.processEvent(Unknown Source)
    at java.desktop/
java.awt.MenuComponent.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.MenuComponent.dispatchEvent(Unknown Source)
    at java.desktop/
```

```
java.awt.EventQueue.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown
Source)
    at
org.netbeans.core.TimableEventQueue.dispatchEvent(TimableEventQueue.
java:136)
    at java.desktop/
java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForHierarchy(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(Unknown Source)
    at java.desktop/java.awt.EventDispatchThread.run(Unknown
Source)
Caused by: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller
    at java.base/java.util.concurrent.FutureTask.report(Unknown
Source)
    at java.base/java.util.concurrent.FutureTask.get(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.get(LRUHybridCache.java:164)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:303)
    ... 69 more
Caused by: java.lang.NoClassDefFoundError: javax/xml/bind/
Unmarshaller
    at java.base/java.lang.Class.getDeclaredMethods0(Native
Method)
    at java.base/
java.lang.Class.privateGetDeclaredMethods(Unknown Source)
```

```
    at java.base/java.lang.Class.getDeclaredMethods(Unknown
Source)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:104)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.secureGetDeclaredMethods(ClassReflectionHelperUtilities.j
ava:104)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getDeclaredMethodWrappers(ClassReflectionHelperUtilities.
java:133)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:
192)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:
193)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$3.compute(ClassReflectionHelperImpl.java:84)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$3.compute(ClassReflectionHelperImpl.java:80)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:292)
```

... 69 more

Caused by: java.lang.ClassNotFoundException:  
javax.xml.bind.Unmarshaller starting from  
ModuleCL@1d06b9c2[`gov.nasa.gsfc.seadas.seadas.processing`] with  
possible defining loaders  
[ModuleCL@7e8c206d[`eu.esa.opt.opttbx.enmap.reader`],  
ModuleCL@7f7b8ad9[`org.esa.snap.snap.bigstiff`],  
ModuleCL@54ecd0da[`org.esa.snap.ceres.jai`],

```
ModuleCL@6d6d4255 [org.esa.snap.snap.core],
ModuleCL@79f6d5df [org.esa.snap.snap.classification],
ModuleCL@7d4c7ca [org.esa.snap.snap.remote.products.repository]] and
declared parents [ModuleCL@29863bdd [org.esa.snap.ceres.core],
ModuleCL@6e762690 [org.esa.snap.snap.ui],
ModuleCL@665c093 [org.esa.snap.snap.rcp],
ModuleCL@6d6d4255 [org.esa.snap.snap.core],
ModuleCL@17bb3a96 [org.esa.snap.snap.gpf.ui],
ModuleCL@5d343197 [org.esa.snap.ceres.ui],
ModuleCL@c873eda [org.esa.snap.ceres.binding]]
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:211)
    at
org.netbeans.ProxyClassLoader.loadClass(ProxyClassLoader.java:125)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    ... 86 more
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Unmarshaller
    at java.base/
jdk.internal.loader.BuiltinClassLoader.loadClass(Unknown Source)
    at java.base/
jdk.internal.loader.ClassLoaders$AppClassLoader.loadClass(Unknown
Source)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:209)
    ... 88 more
MultiException stack 2 of 4
java.lang.RuntimeException: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:315)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.getAllMethods(ClassReflectionHelperImpl.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.getPostConstructMethod(ClassReflectionHelperImpl.java:184)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.access$200(ClassReflectionHelperImpl.java:56)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$1.compute(ClassReflectionHelperImpl.java:64)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$1.compute(ClassReflectionHelperImpl.java:60)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:111)
```

```
    at java.base/java.util.concurrent.FutureTask.run(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:292)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.findPostConstruct(ClassReflectionHelperImpl.java:119)
    at
org.jvnet.hk2.internal.Utilities.findPostConstruct(Utilities.java:14
60)
    at
org.jvnet.hk2.internal.DefaultClassAnalyzer.getPostConstructMethod(D
efaultClassAnalyzer.java:130)
    at
org.glassfish.jersey.inject.hk2.JerseyClassAnalyzer.getPostConstruct
Method(JerseyClassAnalyzer.java:252)
    at
org.jvnet.hk2.internal.Utilities.getPostConstruct(Utilities.java:281
)
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:169
)
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:180
)
    at
org.jvnet.hk2.internal.SystemDescriptor.internalReify(SystemDescript
or.java:740)
    at
org.jvnet.hk2.internal.SystemDescriptor.reify(SystemDescriptor.java:
694)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.reifyDescriptor(ServiceLoc
atorImpl.java:464)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.narrow(ServiceLocatorImpl.
java:2310)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.access$1200(ServiceLocator
Impl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1395)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1390)
    at
org.glassfish.hk2.utilities.cache.internal.WeakCARCacheImpl.compute(
WeakCARCacheImpl.java:128)
    at
```

```
org.jvnet.hk2.internal.ServiceLocatorImpl.internalGetAllServiceHandles(ServiceLocatorImpl.java:1452)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(ServiceLocatorImpl.java:1377)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(ServiceLocatorImpl.java:1366)
    at
org.glassfish.jersey.inject.hk2.AbstractHk2InjectionManager.getAllServiceProviders(AbstractHk2InjectionManager.java:158)
    at
org.glassfish.jersey.inject.hk2.ImmediateHk2InjectionManager.getAllServiceProviders(ImmediateHk2InjectionManager.java:54)
    at
org.glassfish.jersey.internal.inject.Providers.getServiceProviders(Providers.java:329)
    at
org.glassfish.jersey.internal.inject.Providers.getProviders(Providers.java:157)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory.initialize(MessageBodyFactory.java:265)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory$MessageBodyWorkersConfigurator.postInit(MessageBodyFactory.java:136)
    at
org.glassfish.jersey.client.ClientConfig$State.lambda$initRuntime$2(ClientConfig.java:470)
    at java.base/java.util.Arrays$ArrayList.forEach(Unknown Source)
    at
org.glassfish.jersey.client.ClientConfig$State.initRuntime(ClientConfig.java:470)
    at
org.glassfish.jersey.internal.util.collection.Values$LazyValueImpl.get(Values.java:341)
    at
org.glassfish.jersey.client.ClientConfig.getRuntime(ClientConfig.java:826)
    at
org.glassfish.jersey.client.ClientRequest.getConfiguration(ClientRequest.java:285)
    at
org.glassfish.jersey.client.JerseyInvocation.validateHttpMethodAndEntity(JerseyInvocation.java:143)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:112)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:108)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
```

```
.java:99)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.method(JerseyIn
vocation.java:419)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.get(JerseyInvoc
ation.java:319)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.upda
teMissionValues(OCSSWInstallerFormRemote.java:50)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerForm.<init>(OCS
SWInstallerForm.java:116)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.<ini
t>(OCSSWInstallerFormRemote.java:32)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.getProgr
amUI(CallCloProgramAction.java:107)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.actionPe
rformed(CallCloProgramAction.java:151)
    at java.desktop/
javax.swing.AbstractButton.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.AbstractButton$Handler.actionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.setPressed(Unknown Source)
    at java.desktop/javax.swing.AbstractButton.doClick(Unknown
Source)
    at java.desktop/
com.apple.laf.ScreenMenuItem.actionPerformed(Unknown Source)
    at java.desktop/java.awt.MenuItem.processActionEvent(Unknown
Source)
    at java.desktop/java.awt.MenuItem.processEvent(Unknown
Source)
    at java.desktop/
java.awt.MenuComponent.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.MenuComponent.dispatchEvent(Unknown
Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
```

```
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown
Source)
    at
org.netbeans.core.TimableEventQueue.dispatchEvent(TimableEventQueue.
java:136)
    at java.desktop/
java.awt.EventQueue.dispatchEventForFilters(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventForFilter(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventForHierarchy(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEvent(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEvent(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown
Source)
Caused by: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller
    at java.base/java.util.concurrent.FutureTask.report(Unknown
Source)
    at java.base/java.util.concurrent.FutureTask.get(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.get(LRUHybridCache.java:164)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:303)
    ... 79 more
Caused by: java.lang.NoClassDefFoundError: javax/xml/bind/
Unmarshaller
    at java.base/java.lang.Class.getDeclaredMethods0(Native
Method)
    at java.base/
java.lang.Class.privateGetDeclaredMethods(Unknown Source)
    at java.base/java.lang.Class.getDeclaredMethods(Unknown
Source)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelve
rUtilities$3.run(ClassReflectionHelperUtilities.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelve
rUtilities$3.run(ClassReflectionHelperUtilities.java:104)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at
```

```
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities.secureGetDeclaredMethods(ClassReflectionHelperUtilities.java:104)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities.getDeclaredMethodWrappers(ClassReflectionHelperUtilities.java:133)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:192)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:193)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl$3.compute(ClassReflectionHelperImpl.java:84)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl$3.compute(ClassReflectionHelperImpl.java:80)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCache.java:292)
    ... 79 more
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Unmarshaller starting from
ModuleCL@1d06b9c2[gov.nasa.gsfc.seadas.seadas.processing] with
possible defining loaders
[ModuleCL@7e8c206d[eu.esa.opt.opttbx.enmap.reader],
ModuleCL@7f7b8ad9[org.esa.snap.snap.bigtiff],
ModuleCL@54ecd0da[org.esa.snap.ceres.jai],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@79f6d5df[org.esa.snap.snap.classification],
ModuleCL@7d4c7ca[org.esa.snap.snap.remote.products.repository]] and
declared parents [ModuleCL@29863bdd[org.esa.snap.ceres.core],
ModuleCL@6e762690[org.esa.snap.snap.ui],
ModuleCL@665c093[org.esa.snap.snap.rcp],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@17bb3a96[org.esa.snap.snap.gpf.ui],
ModuleCL@5d343197[org.esa.snap.ceres.ui],
ModuleCL@c873eda[org.esa.snap.ceres.binding]]
    at
```

```
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:211)
    at
org.netbeans.ProxyClassLoader.loadClass(ProxyClassLoader.java:125)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    ... 96 more
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Unmarshaller
    at java.base/
jdk.internal.loader.BuiltinClassLoader.loadClass(Unknown Source)
    at java.base/
jdk.internal.loader.ClassLoaders$AppClassLoader.loadClass(Unknown
Source)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:209)
    ... 98 more
MultiException stack 3 of 4
java.lang.RuntimeException: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:315)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.getAllMethods(ClassReflectionHelperImpl.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.getPreDestroyMethod(ClassReflectionHelperImpl.java:209)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.access$400(ClassReflectionHelperImpl.java:56)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$2.compute(ClassReflectionHelperImpl.java:74)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$2.compute(ClassReflectionHelperImpl.java:70)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:292)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.findPreDestroy(ClassReflectionHelperImpl.java:125)
```

```
    at
org.jvnet.hk2.internal.Utilities.findPreDestroy(Utilities.java:1476)
    at
org.jvnet.hk2.internal.DefaultClassAnalyzer.getPreDestroyMethod(DefaultClassAnalyzer.java:141)
    at
org.glassfish.jersey.inject.hk2.JerseyClassAnalyzer.getPreDestroyMethod(JerseyClassAnalyzer.java:257)
    at
org.jvnet.hk2.internal.Utilities.getPreDestroy(Utilities.java:303)
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:170)
)
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:180)
)
    at
org.jvnet.hk2.internal.SystemDescriptor.internalReify(SystemDescriptor.java:740)
    at
org.jvnet.hk2.internal.SystemDescriptor.reify(SystemDescriptor.java:694)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.reifyDescriptor(ServiceLocatorImpl.java:464)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.narrow(ServiceLocatorImpl.java:2310)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.access$1200(ServiceLocatorImpl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorImpl.java:1395)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorImpl.java:1390)
    at
org.glassfish.hk2.utilities.cache.internal.WeakCARCacheImpl.compute(WeakCARCacheImpl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.internalGetAllServiceHandles(ServiceLocatorImpl.java:1452)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(ServiceLocatorImpl.java:1377)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(ServiceLocatorImpl.java:1366)
    at
org.glassfish.jersey.inject.hk2.AbstractHk2InjectionManager.getAllServiceHolders(AbstractHk2InjectionManager.java:158)
    at
org.glassfish.jersey.inject.hk2.ImmediateHk2InjectionManager.getAllS
```

```
erviceHolders(ImmediateHk2InjectionManager.java:54)
    at
org.glassfish.jersey.internal.inject.Providers.getServiceHolders(Pro
viders.java:329)
    at
org.glassfish.jersey.internal.inject.Providers.getProviders(Provider
s.java:157)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory.initialize(
MessageBodyFactory.java:265)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory$MessageBody
WorkersConfigurator.postInit(MessageBodyFactory.java:136)
    at
org.glassfish.jersey.client.ClientConfig$State.lambda$initRuntime$2(
ClientConfig.java:470)
    at java.base/java.util.Arrays$ArrayList.forEach(Unknown
Source)
    at
org.glassfish.jersey.client.ClientConfig$State.initRuntime(ClientCon
fig.java:470)
    at
org.glassfish.jersey.internal.util.collection.Values$LazyValueImpl.g
et(Values.java:341)
    at
org.glassfish.jersey.client.ClientConfig.getRuntime(ClientConfig.jav
a:826)
    at
org.glassfish.jersey.client.ClientRequest.getConfiguration(ClientReq
uest.java:285)
    at
org.glassfish.jersey.client.JerseyInvocation.validateHttpMethodAndEn
tity(JerseyInvocation.java:143)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:112)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:108)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:99)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.method(JerseyIn
vocation.java:419)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.get(JerseyInvoc
ation.java:319)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.upda
teMissionValues(OCSSWInstallerFormRemote.java:50)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerForm.<init>(OCS
SWInstallerForm.java:116)
```

```
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.<init>(OCSSWInstallerFormRemote.java:32)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.getProgramUI(CallCloProgramAction.java:107)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.actionPerformed(CallCloProgramAction.java:151)
    at java.desktop/
javax.swing.AbstractButton.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.AbstractButton$Handler.actionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.setPressed(Unknown Source)
    at java.desktop/javax.swing.AbstractButton.doClick(Unknown Source)
    at java.desktop/
com.apple.laf.ScreenMenuItem.actionPerformed(Unknown Source)
    at java.desktop/java.awt.MenuItem.processActionEvent(Unknown Source)
    at java.desktop/java.awt.MenuItem.processEvent(Unknown Source)
    at java.desktop/
java.awt.MenuComponent.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.MenuComponent.dispatchEvent(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPrivilege(Unknown Source)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPrivilege(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPrivilege(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown Source)
    at
org.netbeans.core.TimableEventQueue.dispatchEvent(TimableEventQueue.java:136)
    at java.desktop/
```

```
java.awt.EventQueueThread.pumpOneEventForFilters(Unknown Source)
    at java.desktop/
java.awt.EventQueueThread.pumpEventsForFilter(Unknown Source)
    at java.desktop/
java.awt.EventQueueThread.pumpEventsForHierarchy(Unknown Source)
    at java.desktop/
java.awt.EventQueueThread.pumpEvents(Unknown Source)
    at java.desktop/
java.awt.EventQueueThread.pumpEvents(Unknown Source)
    at java.desktop/java.awt.EventQueueThread.run(Unknown
Source)
Caused by: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller
    at java.base/java.util.concurrent.FutureTask.report(Unknown
Source)
    at java.base/java.util.concurrent.FutureTask.get(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.get(LRUHybridCache.java:164)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:303)
    ... 79 more
Caused by: java.lang.NoClassDefFoundError: javax/xml/bind/
Unmarshaller
    at java.base/java.lang.Class.getDeclaredMethods0(Native
Method)
    at java.base/
java.lang.Class.privateGetDeclaredMethods(Unknown Source)
    at java.base/java.lang.Class.getDeclaredMethods(Unknown
Source)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:104)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.secureGetDeclaredMethods(ClassReflectionHelperUtilities.j
ava:104)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getDeclaredMethodWrappers(ClassReflectionHelperUtilities.
java:133)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:
192)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
```

```
rUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:
193)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$3.compute(ClassReflectionHelperImpl.java:84)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$3.compute(ClassReflectionHelperImpl.java:80)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:292)
    ... 79 more
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Unmarshaller starting from
ModuleCL@1d06b9c2[gov.nasa.gsfc.seadas.seadas.processing] with
possible defining loaders
[ModuleCL@7e8c206d[eu.esa.opt.opttbx.enmap.reader],
ModuleCL@7f7b8ad9[org.esa.snap.snap.bigstiff],
ModuleCL@54ecd0da[org.esa.snap.ceres.jail],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@79f6d5df[org.esa.snap.snap.classification],
ModuleCL@7d4c7ca[org.esa.snap.snap.remote.products.repository]] and
declared parents [ModuleCL@29863bdd[org.esa.snap.ceres.core],
ModuleCL@6e762690[org.esa.snap.snap.ui],
ModuleCL@665c093[org.esa.snap.snap.rcp],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@17bb3a96[org.esa.snap.snap.gpf.ui],
ModuleCL@5d343197[org.esa.snap.ceres.ui],
ModuleCL@c873eda[org.esa.snap.ceres.binding]]
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:211)
    at
org.netbeans.ProxyClassLoader.loadClass(ProxyClassLoader.java:125)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    ... 96 more
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Unmarshaller
    at java.base/
jdk.internal.loader.BuiltinClassLoader.loadClass(Unknown Source)
    at java.base/
jdk.internal.loader.ClassLoaders$AppClassLoader.loadClass(Unknown
Source)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
```

```
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:209)
    ... 98 more
MultiException stack 4 of 4
java.lang.IllegalArgumentException: Errors were discovered while
reifying SystemDescriptor(

implementation=org.glassfish.jersey.jaxb.internal.XmlRootElementJaxb
Provider$App

contracts={javax.ws.rs.ext.MessageBodyWriter, javax.ws.rs.ext.Message
BodyReader}
    scope=javax.inject.Singleton
    qualifiers={}
    descriptorType=CLASS
    descriptorVisibility=NORMAL
    metadata=
    rank=0
    loader=null
    proxiable=null
    proxyForSameScope=null
    analysisName=null
    id=68
    locatorId=9
    identityHashCode=107082220
    reified=false)
    at
org.jvnet.hk2.internal.SystemDescriptor.reify(SystemDescriptor.java:
705)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.reifyDescriptor(ServiceLoc
atorImpl.java:464)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.narrow(ServiceLocatorImpl.
java:2310)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.access$1200(ServiceLocator
Impl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1395)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1390)
    at
org.glassfish.hk2.utilities.cache.internal.WeakCARCacheImpl.compute(
WeakCARCacheImpl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.internalGetAllServiceHandl
es(ServiceLocatorImpl.java:1452)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(Servi
ceLocatorImpl.java:1377)
    at
```

```
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(ServiceLocatorImpl.java:1366)
    at
org.glassfish.jersey.inject.hk2.AbstractHk2InjectionManager.getAllServiceHolders(AbstractHk2InjectionManager.java:158)
    at
org.glassfish.jersey.inject.hk2.ImmediateHk2InjectionManager.getAllServiceHolders(ImmediateHk2InjectionManager.java:54)
    at
org.glassfish.jersey.internal.inject.Providers.getServiceHolders(Providers.java:329)
    at
org.glassfish.jersey.internal.inject.Providers.getProviders(Providers.java:157)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory.initialize(MessageBodyFactory.java:265)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory$MessageBodyWorkersConfigurator.postInit(MessageBodyFactory.java:136)
    at
org.glassfish.jersey.client.ClientConfig$State.lambda$initRuntime$2(ClientConfig.java:470)
    at java.base/java.util.Arrays$ArrayList.forEach(Unknown Source)
    at
org.glassfish.jersey.client.ClientConfig$State.initRuntime(ClientConfig.java:470)
    at
org.glassfish.jersey.internal.util.collection.Values$LazyValueImpl.get(Values.java:341)
    at
org.glassfish.jersey.client.ClientConfig.getRuntime(ClientConfig.java:826)
    at
org.glassfish.jersey.client.ClientRequest.getConfiguration(ClientRequest.java:285)
    at
org.glassfish.jersey.client.JerseyInvocation.validateHttpMethodAndEntity(JerseyInvocation.java:143)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:112)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:108)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:99)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.method(JerseyInvocation.java:419)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.get(JerseyInvocation
```

```
ation.java:319)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.updateMissionValues(OCSSWInstallerFormRemote.java:50)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerForm.<init>(OCSSWInstallerForm.java:116)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.<init>(OCSSWInstallerFormRemote.java:32)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.getProgramUI(CallCloProgramAction.java:107)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.actionPerformed(CallCloProgramAction.java:151)
    at java.desktop/
javax.swing.AbstractButton.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.AbstractButton$Handler.actionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.setPressed(Unknown Source)
    at java.desktop/javax.swing.AbstractButton.doClick(Unknown Source)
    at java.desktop/
com.apple.laf.ScreenMenuItem.actionPerformed(Unknown Source)
    at java.desktop/java.awt.MenuItem.processActionEvent(Unknown Source)
    at java.desktop/java.awt.MenuItem.processEvent(Unknown Source)
    at java.desktop/
java.awt.MenuComponent.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.MenuComponent.dispatchEvent(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPrivilege(Unknown Source)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPrivilege(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
```

```
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown
Source)
    at
org.netbeans.core.TimableEventQueue.dispatchEvent(TimableEventQueue.
java:136)
    at java.desktop/
java.awt.EventQueue.dispatchEventForFilters(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventForFilter(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventForHierarchy(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEvent(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEvent(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown
Source)
```

The following warnings have been detected: WARNING: HK2 failure has been detected in a code that does not run in an active Jersey Error scope.

WARNING: HK2 service reification failed for [org.glassfish.jersey.jaxb.internal.XmlRootElementJaxbProvider\$Text] with an exception:

MultiException stack 1 of 4

java.lang.RuntimeException: java.util.concurrent.ExecutionException: java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller

```
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:315)
```

```
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.getAllMethods(ClassReflectionHelperImpl.java:108)
```

```
    at
org.jvnet.hk2.internal.Utilities.findInitializerMethods(Utilities.ja
va:1424)
```

```
    at
org.jvnet.hk2.internal.DefaultClassAnalyzer.getInitializerMethods(De
faultClassAnalyzer.java:107)
```

```
    at
org.glassfish.jersey.inject.hk2.JerseyClassAnalyzer.getInitializerMe
thods(JerseyClassAnalyzer.java:242)
```

```
    at
org.jvnet.hk2.internal.Utilities.getInitMethods(Utilities.java:220)
```

```
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:145
)
```

```
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:180
)
```

```
    at
org.jvnet.hk2.internal.SystemDescriptor.internalReify(SystemDescript
or.java:740)
```

```
        at
org.jvnet.hk2.internal.SystemDescriptor.reify(SystemDescriptor.java:
694)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.reifyDescriptor(ServiceLoc
atorImpl.java:464)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.narrow(ServiceLocatorImpl.
java:2310)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.access$1200(ServiceLocator
Impl.java:128)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1395)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1390)
        at
org.glassfish.hk2.utilities.cache.internal.WeakCARCacheImpl.compute(
WeakCARCacheImpl.java:128)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.internalGetAllServiceHandl
es(ServiceLocatorImpl.java:1452)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(Servi
ceLocatorImpl.java:1377)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(Servi
ceLocatorImpl.java:1366)
        at
org.glassfish.jersey.inject.hk2.AbstractHk2InjectionManager.getAllSe
rviceHolders(AbstractHk2InjectionManager.java:158)
        at
org.glassfish.jersey.inject.hk2.ImmediateHk2InjectionManager.getAllS
erviceHolders(ImmediateHk2InjectionManager.java:54)
        at
org.glassfish.jersey.internal.inject.Providers.getServiceHolders(Pro
viders.java:329)
        at
org.glassfish.jersey.internal.inject.Providers.getProviders(Provider
s.java:157)
        at
org.glassfish.jersey.message.internal.MessageBodyFactory.initialize(
MessageBodyFactory.java:265)
        at
org.glassfish.jersey.message.internal.MessageBodyFactory$MessageBody
WorkersConfigurator.postInit(MessageBodyFactory.java:136)
        at
org.glassfish.jersey.client.ClientConfig$State.lambda$initRuntime$2(
ClientConfig.java:470)
        at java.base/java.util.Arrays$ArrayList.forEach(Unknown
Source)
        at
```

```
org.glassfish.jersey.client.ClientConfig$State.initRuntime(ClientCon
fig.java:470)
    at
org.glassfish.jersey.internal.util.collection.Values$LazyValueImpl.g
et(Values.java:341)
    at
org.glassfish.jersey.client.ClientConfig.getRuntime(ClientConfig.jav
a:826)
    at
org.glassfish.jersey.client.ClientRequest.getConfiguration(ClientReq
uest.java:285)
    at
org.glassfish.jersey.client.JerseyInvocation.validateHttpMethodAndEn
tity(JerseyInvocation.java:143)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:112)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:108)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:99)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.method(JerseyIn
vocation.java:419)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.get(JerseyInvoc
ation.java:319)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.upda
teMissionValues(OCSSWInstallerFormRemote.java:50)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerForm.<init>(OCS
SWInstallerForm.java:116)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.<ini
t>(OCSSWInstallerFormRemote.java:32)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.getProgr
amUI(CallCloProgramAction.java:107)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.actionPe
rformed(CallCloProgramAction.java:151)
    at java.desktop/
javax.swing.JButton.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.JButton$Handler.actionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.setPressed(Unknown Source)
    at java.desktop/javax.swing.JButton.doClick(Unknown
Source)
```

```
    at java.desktop/
com.apple.laf.ScreenMenuItem.actionPerformed(Unknown Source)
    at java.desktop/java.awt.MenuItem.processActionEvent(Unknown
Source)
    at java.desktop/java.awt.MenuItem.processEvent(Unknown
Source)
    at java.desktop/
java.awt.MenuComponent.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.MenuComponent.dispatchEvent(Unknown
Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown
Source)
    at
org.netbeans.core.TimableEventQueue.dispatchEvent(TimableEventQueue.
java:136)
    at java.desktop/
java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForHierarchy(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(Unknown Source)
    at java.desktop/java.awt.EventDispatchThread.run(Unknown
Source)
Caused by: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller
    at java.base/java.util.concurrent.FutureTask.report(Unknown
Source)
    at java.base/java.util.concurrent.FutureTask.get(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
```

```
ture.get(LRUHybridCache.java:164)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:303)
    ... 69 more
Caused by: java.lang.NoClassDefFoundError: javax/xml/bind/
Unmarshaller
    at java.base/java.lang.Class.getDeclaredMethods0(Native
Method)
    at java.base/
java.lang.Class.privateGetDeclaredMethods(Unknown Source)
    at java.base/java.lang.Class.getDeclaredMethods(Unknown
Source)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:104)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.secureGetDeclaredMethods(ClassReflectionHelperUtilities.j
ava:104)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getDeclaredMethodWrappers(ClassReflectionHelperUtilities.
java:133)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:
192)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:
193)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$3.compute(ClassReflectionHelperImpl.java:84)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$3.compute(ClassReflectionHelperImpl.java:80)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.run(LRUHybridCache.java:173)
```

```
at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:292)
```

```
... 69 more
```

```
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Unmarshaler starting from
ModuleCL@1d06b9c2[gov.nasa.gsfc.seadas.seadas.processing] with
possible defining loaders
[ModuleCL@7e8c206d[eu.esa.opt.opttbx.enmap.reader],
ModuleCL@7f7b8ad9[org.esa.snap.snap.bigtiff],
ModuleCL@54ecd0da[org.esa.snap.ceres.jai],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@79f6d5df[org.esa.snap.snap.classification],
ModuleCL@7d4c7ca[org.esa.snap.snap.remote.products.repository]] and
declared parents [ModuleCL@29863bdd[org.esa.snap.ceres.core],
ModuleCL@6e762690[org.esa.snap.snap.ui],
ModuleCL@665c093[org.esa.snap.snap.rcp],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@17bb3a96[org.esa.snap.snap.gpf.ui],
ModuleCL@5d343197[org.esa.snap.ceres.ui],
ModuleCL@c873eda[org.esa.snap.ceres.binding]]
```

```
at
```

```
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:211)
```

```
at
```

```
org.netbeans.ProxyClassLoader.loadClass(ProxyClassLoader.java:125)
```

```
at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
```

```
... 86 more
```

```
Caused by: java.lang.ClassNotFoundException:
```

```
javax.xml.bind.Unmarshaler
```

```
at java.base/
```

```
jdk.internal.loader.BuiltinClassLoader.loadClass(Unknown Source)
```

```
at java.base/
```

```
jdk.internal.loader.ClassLoaders$AppClassLoader.loadClass(Unknown
Source)
```

```
at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
```

```
at
```

```
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:209)
```

```
... 88 more
```

```
MultiException stack 2 of 4
```

```
java.lang.RuntimeException: java.util.concurrent.ExecutionException:
```

```
java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller
```

```
at
```

```
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:315)
```

```
at
```

```
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.getAllMethods(ClassReflectionHelperImpl.java:108)
```

```
at
```

```
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.getPostConstructMethod(ClassReflectionHelperImpl.java:184)
```

```
at
```

```
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.access$200(ClassReflectionHelperImpl.java:56)
```

```
at
```

```
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl$1.compute(ClassReflectionHelperImpl.java:64)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl$1.compute(ClassReflectionHelperImpl.java:60)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCache.java:292)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl.findPostConstruct(ClassReflectionHelperImpl.java:119)
    at
org.jvnet.hk2.internal.Utilities.findPostConstruct(Utilities.java:1460)
    at
org.jvnet.hk2.internal.DefaultClassAnalyzer.getPostConstructMethod(DefaultClassAnalyzer.java:130)
    at
org.glassfish.jersey.inject.hk2.JerseyClassAnalyzer.getPostConstructMethod(JerseyClassAnalyzer.java:252)
    at
org.jvnet.hk2.internal.Utilities.getPostConstruct(Utilities.java:281)
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:169)
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:180)
    at
org.jvnet.hk2.internal.SystemDescriptor.internalReify(SystemDescriptor.java:740)
    at
org.jvnet.hk2.internal.SystemDescriptor.reify(SystemDescriptor.java:694)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.reifyDescriptor(ServiceLocatorImpl.java:464)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.narrow(ServiceLocatorImpl.java:2310)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.access$1200(ServiceLocator
```

```
Impl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorImpl.java:1395)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorImpl.java:1390)
    at
org.glassfish.hk2.utilities.cache.internal.WeakCARCacheImpl.compute(WeakCARCacheImpl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.internalGetAllServiceHandles(ServiceLocatorImpl.java:1452)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(ServiceLocatorImpl.java:1377)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(ServiceLocatorImpl.java:1366)
    at
org.glassfish.jersey.inject.hk2.AbstractHk2InjectionManager.getAllServiceHolders(AbstractHk2InjectionManager.java:158)
    at
org.glassfish.jersey.inject.hk2.ImmediateHk2InjectionManager.getAllServiceHolders(ImmediateHk2InjectionManager.java:54)
    at
org.glassfish.jersey.internal.inject.Providers.getServiceHolders(Providers.java:329)
    at
org.glassfish.jersey.internal.inject.Providers.getProviders(Providers.java:157)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory.initialize(MessageBodyFactory.java:265)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory$MessageBodyWorkersConfigurator.postInit(MessageBodyFactory.java:136)
    at
org.glassfish.jersey.client.ClientConfig$State.lambda$initRuntime$2(ClientConfig.java:470)
    at java.base/java.util.Arrays$ArrayList.forEach(Unknown Source)
    at
org.glassfish.jersey.client.ClientConfig$State.initRuntime(ClientConfig.java:470)
    at
org.glassfish.jersey.internal.util.collection.Values$LazyValueImpl.get(Values.java:341)
    at
org.glassfish.jersey.client.ClientConfig.getRuntime(ClientConfig.java:826)
    at
org.glassfish.jersey.client.ClientRequest.getConfiguration(ClientRequest.java:285)
```

```
    at
org.glassfish.jersey.client.JerseyInvocation.validateHttpMethodAndEntity(JerseyInvocation.java:143)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:112)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:108)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:99)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.method(JerseyInvocation.java:419)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.get(JerseyInvocation.java:319)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.updateMissionValues(OCSSWInstallerFormRemote.java:50)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerForm.<init>(OCSSWInstallerForm.java:116)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.<init>(OCSSWInstallerFormRemote.java:32)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.getProgramUI(CallCloProgramAction.java:107)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.actionPerformed(CallCloProgramAction.java:151)
    at java.desktop/
javax.swing.AbstractButton.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.AbstractButton$Handler.actionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.setPressed(Unknown Source)
    at java.desktop/javax.swing.AbstractButton.doClick(Unknown Source)
    at java.desktop/
com.apple.laf.ScreenMenuItem.actionPerformed(Unknown Source)
    at java.desktop/java.awt.MenuItem.processActionEvent(Unknown Source)
    at java.desktop/java.awt.MenuItem.processEvent(Unknown Source)
    at java.desktop/
java.awt.MenuComponent.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.MenuComponent.dispatchEvent(Unknown Source)
    at java.desktop/
```

```
java.awt.EventQueue.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown
Source)
    at
org.netbeans.core.TimableEventQueue.dispatchEvent(TimableEventQueue.
java:136)
    at java.desktop/
java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForHierarchy(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(Unknown Source)
    at java.desktop/java.awt.EventDispatchThread.run(Unknown
Source)
Caused by: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller
    at java.base/java.util.concurrent.FutureTask.report(Unknown
Source)
    at java.base/java.util.concurrent.FutureTask.get(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.get(LRUHybridCache.java:164)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:303)
    ... 79 more
Caused by: java.lang.NoClassDefFoundError: javax/xml/bind/
Unmarshaller
    at java.base/java.lang.Class.getDeclaredMethods0(Native
Method)
    at java.base/
java.lang.Class.privateGetDeclaredMethods(Unknown Source)
```

```
    at java.base/java.lang.Class.getDeclaredMethods(Unknown
Source)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:104)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.secureGetDeclaredMethods(ClassReflectionHelperUtilities.j
ava:104)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getDeclaredMethodWrappers(ClassReflectionHelperUtilities.
java:133)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:
192)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:
193)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$3.compute(ClassReflectionHelperImpl.java:84)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$3.compute(ClassReflectionHelperImpl.java:80)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:292)
```

... 79 more

Caused by: java.lang.ClassNotFoundException:  
javax.xml.bind.Unmarshaller starting from  
ModuleCL@1d06b9c2[`gov.nasa.gsfc.seadas.seadas.processing`] with  
possible defining loaders  
[ModuleCL@7e8c206d[`eu.esa.opt.opttbx.enmap.reader`],  
ModuleCL@7f7b8ad9[`org.esa.snap.snap.bigstiff`],  
ModuleCL@54ecd0da[`org.esa.snap.ceres.jai`],

```
ModuleCL@6d6d4255 [org.esa.snap.snap.core],
ModuleCL@79f6d5df [org.esa.snap.snap.classification],
ModuleCL@7d4c7ca [org.esa.snap.snap.remote.products.repository]] and
declared parents [ModuleCL@29863bdd [org.esa.snap.ceres.core],
ModuleCL@6e762690 [org.esa.snap.snap.ui],
ModuleCL@665c093 [org.esa.snap.snap.rcp],
ModuleCL@6d6d4255 [org.esa.snap.snap.core],
ModuleCL@17bb3a96 [org.esa.snap.snap.gpf.ui],
ModuleCL@5d343197 [org.esa.snap.ceres.ui],
ModuleCL@c873eda [org.esa.snap.ceres.binding]]
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:211)
    at
org.netbeans.ProxyClassLoader.loadClass(ProxyClassLoader.java:125)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    ... 96 more
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Unmarshaller
    at java.base/
jdk.internal.loader.BuiltinClassLoader.loadClass(Unknown Source)
    at java.base/
jdk.internal.loader.ClassLoaders$AppClassLoader.loadClass(Unknown
Source)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:209)
    ... 98 more
MultiException stack 3 of 4
java.lang.RuntimeException: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:315)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.getAllMethods(ClassReflectionHelperImpl.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.getPreDestroyMethod(ClassReflectionHelperImpl.java:209)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.access$400(ClassReflectionHelperImpl.java:56)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$2.compute(ClassReflectionHelperImpl.java:74)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$2.compute(ClassReflectionHelperImpl.java:70)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:111)
```

```
    at java.base/java.util.concurrent.FutureTask.run(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:292)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.findPreDestroy(ClassReflectionHelperImpl.java:125)
    at
org.jvnet.hk2.internal.Utilities.findPreDestroy(Utilities.java:1476)
    at
org.jvnet.hk2.internal.DefaultClassAnalyzer.getPreDestroyMethod(Defa
ultClassAnalyzer.java:141)
    at
org.glassfish.jersey.inject.hk2.JerseyClassAnalyzer.getPreDestroyMet
hod(JerseyClassAnalyzer.java:257)
    at
org.jvnet.hk2.internal.Utilities.getPreDestroy(Utilities.java:303)
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:170
)
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:180
)
    at
org.jvnet.hk2.internal.SystemDescriptor.internalReify(SystemDescript
or.java:740)
    at
org.jvnet.hk2.internal.SystemDescriptor.reify(SystemDescriptor.java:
694)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.reifyDescriptor(ServiceLoca
torImpl.java:464)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.narrow(ServiceLocatorImpl.
java:2310)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.access$1200(ServiceLocator
Impl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1395)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1390)
    at
org.glassfish.hk2.utilities.cache.internal.WeakCARCacheImpl.compute(
WeakCARCacheImpl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.internalGetAllServiceHandl
es(ServiceLocatorImpl.java:1452)
```

```
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(ServiceLocatorImpl.java:1377)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(ServiceLocatorImpl.java:1366)
    at
org.glassfish.jersey.inject.hk2.AbstractHk2InjectionManager.getAllServiceHolders(AbstractHk2InjectionManager.java:158)
    at
org.glassfish.jersey.inject.hk2.ImmediateHk2InjectionManager.getAllServiceHolders(ImmediateHk2InjectionManager.java:54)
    at
org.glassfish.jersey.internal.inject.Providers.getServiceHolders(Providers.java:329)
    at
org.glassfish.jersey.internal.inject.Providers.getProviders(Providers.java:157)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory.initialize(MessageBodyFactory.java:265)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory$MessageBodyWorkersConfigurator.postInit(MessageBodyFactory.java:136)
    at
org.glassfish.jersey.client.ClientConfig$State.lambda$initRuntime$2(ClientConfig.java:470)
    at java.base/java.util.Arrays$ArrayList.forEach(Unknown Source)
    at
org.glassfish.jersey.client.ClientConfig$State.initRuntime(ClientConfig.java:470)
    at
org.glassfish.jersey.internal.util.collection.Values$LazyValueImpl.get(Values.java:341)
    at
org.glassfish.jersey.client.ClientConfig.getRuntime(ClientConfig.java:826)
    at
org.glassfish.jersey.client.ClientRequest.getConfiguration(ClientRequest.java:285)
    at
org.glassfish.jersey.client.JerseyInvocation.validateHttpMethodAndEntity(JerseyInvocation.java:143)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:112)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:108)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:99)
    at
```

```
org.glassfish.jersey.client.JerseyInvocation$Builder.method(JerseyInvocation.java:419)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.get(JerseyInvocation.java:319)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.updateMissionValues(OCSSWInstallerFormRemote.java:50)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerForm.<init>(OCSSWInstallerForm.java:116)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.<init>(OCSSWInstallerFormRemote.java:32)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.getProgramUI(CallCloProgramAction.java:107)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.actionPerformed(CallCloProgramAction.java:151)
    at java.desktop/
javax.swing.AbstractButton.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.AbstractButton$Handler.actionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.setPressed(Unknown Source)
    at java.desktop/javax.swing.AbstractButton.doClick(Unknown Source)
    at java.desktop/
com.apple.laf.ScreenMenuItem.actionPerformed(Unknown Source)
    at java.desktop/java.awt.MenuItem.processActionEvent(Unknown Source)
    at java.desktop/java.awt.MenuItem.processEvent(Unknown Source)
    at java.desktop/
java.awt.MenuComponent.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.MenuComponent.dispatchEvent(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPrivilege(Unknown Source)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersectionPrivilege(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
```

```
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown
Source)
    at
org.netbeans.core.TimableEventQueue.dispatchEvent(TimableEventQueue.
java:136)
    at java.desktop/
java.awt.EventQueue.dispatchEventForFilters(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventForFilter(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventForHierarchy(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEvent(Unknown Source)
    at java.desktop/
java.awt.EventQueue.dispatchEvent(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown
Source)
Caused by: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller
    at java.base/java.util.concurrent.FutureTask.report(Unknown
Source)
    at java.base/java.util.concurrent.FutureTask.get(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.get(LRUHybridCache.java:164)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:303)
    ... 79 more
Caused by: java.lang.NoClassDefFoundError: javax/xml/bind/
Unmarshaller
    at java.base/java.lang.Class.getDeclaredMethods0(Native
Method)
    at java.base/
java.lang.Class.privateGetDeclaredMethods(Unknown Source)
    at java.base/java.lang.Class.getDeclaredMethods(Unknown
Source)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelve
rUtilities$3.run(ClassReflectionHelperUtilities.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelve
rUtilities$3.run(ClassReflectionHelperUtilities.java:104)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelve
rUtilities.secureGetDeclaredMethods(ClassReflectionHelperUtilities.j
```

```
ava:104)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities.getDeclaredMethodWrappers(ClassReflectionHelperUtilities.java:133)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:192)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:193)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl$3.compute(ClassReflectionHelperImpl.java:84)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl$3.compute(ClassReflectionHelperImpl.java:80)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCache.java:292)
    ... 79 more
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Unmarshaller starting from
ModuleCL@1d06b9c2[gov.nasa.gsfc.seadas.seadas.processing] with
possible defining loaders
[ModuleCL@7e8c206d[eu.esa.opt.opttbx.enmap.reader],
ModuleCL@7f7b8ad9[org.esa.snap.snap.bigtiff],
ModuleCL@54ecd0da[org.esa.snap.ceres.jai],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@79f6d5df[org.esa.snap.snap.classification],
ModuleCL@7d4c7ca[org.esa.snap.snap.remote.products.repository]] and
declared parents [ModuleCL@29863bdd[org.esa.snap.ceres.core],
ModuleCL@6e762690[org.esa.snap.snap.ui],
ModuleCL@665c093[org.esa.snap.snap.rcp],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@17bb3a96[org.esa.snap.snap.gpf.ui],
ModuleCL@5d343197[org.esa.snap.ceres.ui],
ModuleCL@c873eda[org.esa.snap.ceres.binding]]
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:211)
    at
```

```
org.netbeans.ProxyClassLoader.loadClass(ProxyClassLoader.java:125)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    ... 96 more
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Unmarshaller
    at java.base/
jdk.internal.loader.BuiltinClassLoader.loadClass(Unknown Source)
    at java.base/
jdk.internal.loader.ClassLoaders$AppClassLoader.loadClass(Unknown
Source)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:209)
    ... 98 more
MultiException stack 4 of 4
java.lang.IllegalArgumentException: Errors were discovered while
reifying SystemDescriptor(

implementation=org.glassfish.jersey.jaxb.internal.XmlRootElementJaxb
Provider$Text

contracts={javax.ws.rs.ext.MessageBodyWriter,javax.ws.rs.ext.Message
BodyReader}
    scope=javax.inject.Singleton
    qualifiers={}
    descriptorType=CLASS
    descriptorVisibility=NORMAL
    metadata=
    rank=0
    loader=null
    proxiable=null
    proxyForSameScope=null
    analysisName=null
    id=69
    locatorId=9
    identityHashCode=1193091707
    reified=false)
    at
org.jvnet.hk2.internal.SystemDescriptor.reify(SystemDescriptor.java:
705)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.reifyDescriptor(ServiceLoc
atorImpl.java:464)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.narrow(ServiceLocatorImpl.
java:2310)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.access$1200(ServiceLocator
Impl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1395)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
```

```
pl.java:1390)
    at
org.glassfish.hk2.utilities.cache.internal.WeakCARCacheImpl.compute(
WeakCARCacheImpl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.internalGetAllServiceHandles(
ServiceLocatorImpl.java:1452)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(Service
LocatorImpl.java:1377)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(Service
LocatorImpl.java:1366)
    at
org.glassfish.jersey.inject.hk2.AbstractHk2InjectionManager.getAllSe
rviceHolders(AbstractHk2InjectionManager.java:158)
    at
org.glassfish.jersey.inject.hk2.ImmediateHk2InjectionManager.getAllS
erviceHolders(ImmediateHk2InjectionManager.java:54)
    at
org.glassfish.jersey.internal.inject.Providers.getServiceHolders(Pro
viders.java:329)
    at
org.glassfish.jersey.internal.inject.Providers.getProviders(Provider
s.java:157)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory.initialize(
MessageBodyFactory.java:265)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory$MessageBody
WorkersConfigurator.postInit(MessageBodyFactory.java:136)
    at
org.glassfish.jersey.client.ClientConfig$State.lambda$initRuntime$2(
ClientConfig.java:470)
    at java.base/java.util.Arrays$ArrayList.forEach(Unknown
Source)
    at
org.glassfish.jersey.client.ClientConfig$State.initRuntime(ClientCon
fig.java:470)
    at
org.glassfish.jersey.internal.util.collection.Values$LazyValueImpl.g
et(Values.java:341)
    at
org.glassfish.jersey.client.ClientConfig.getRuntime(ClientConfig.jav
a:826)
    at
org.glassfish.jersey.client.ClientRequest.getConfiguration(ClientReq
uest.java:285)
    at
org.glassfish.jersey.client.JerseyInvocation.validateHttpMethodAndEn
tity(JerseyInvocation.java:143)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:112)
```

```
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:108)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:99)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.method(JerseyIn
vocation.java:419)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.get(JerseyInvoc
ation.java:319)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.upda
teMissionValues(OCSSWInstallerFormRemote.java:50)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerForm.<init>(OCS
SWInstallerForm.java:116)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.<ini
t>(OCSSWInstallerFormRemote.java:32)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.getProgr
amUI(CallCloProgramAction.java:107)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.actionPe
rformed(CallCloProgramAction.java:151)
    at java.desktop/
javax.swing.JButton.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.JButton$Handler.actionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.setPressed(Unknown Source)
    at java.desktop/javax.swing.JButton.doClick(Unknown
Source)
    at java.desktop/
com.apple.laf.ScreenMenuItem.actionPerformed(Unknown Source)
    at java.desktop/java.awt.MenuItem.processActionEvent(Unknown
Source)
    at java.desktop/java.awt.MenuItem.processEvent(Unknown
Source)
    at java.desktop/
java.awt.MenuComponent.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.MenuComponent.dispatchEvent(Unknown
Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
```

```
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown
Source)
    at
org.netbeans.core.TimableEventQueue.dispatchEvent(TimableEventQueue.
java:136)
    at java.desktop/
java.awt.EventQueueDispatchThread.pumpOneEventForFilters(Unknown Source)
    at java.desktop/
java.awt.EventQueueDispatchThread.pumpEventsForFilter(Unknown Source)
    at java.desktop/
java.awt.EventQueueDispatchThread.pumpEventsForHierarchy(Unknown Source)
    at java.desktop/
java.awt.EventQueueDispatchThread.pumpEvents(Unknown Source)
    at java.desktop/
java.awt.EventQueueDispatchThread.pumpEvents(Unknown Source)
    at java.desktop/java.awt.EventQueueDispatchThread.run(Unknown
Source)
```

The following warnings have been detected: WARNING: HK2 failure has been detected in a code that does not run in an active Jersey Error scope.

WARNING: HK2 service reification failed for [org.glassfish.jersey.jaxb.internal.XmlRootElementJaxbProviders\$General] with an exception:

MultiException stack 1 of 4

java.lang.RuntimeException: java.util.concurrent.ExecutionException: java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller

```
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:315)
```

```
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl.getAllMethods(ClassReflectionHelperImpl.java:108)
```

```
    at
org.jvnet.hk2.internal.Utilities.findInitializerMethods(Utilities.ja
va:1424)
```

```
    at
org.jvnet.hk2.internal.DefaultClassAnalyzer.getInitializerMethods(De
faultClassAnalyzer.java:107)
```

```
    at
org.glassfish.jersey.inject.hk2.JerseyClassAnalyzer.getInitializerMe
thods(JerseyClassAnalyzer.java:242)
```

```
    at
org.jvnet.hk2.internal.Utilities.getInitMethods(Utilities.java:220)
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:145
)
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:180
)
    at
org.jvnet.hk2.internal.SystemDescriptor.internalReify(SystemDescript
or.java:740)
    at
org.jvnet.hk2.internal.SystemDescriptor.reify(SystemDescriptor.java:
694)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.reifyDescriptor(ServiceLoc
atorImpl.java:464)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.narrow(ServiceLocatorImpl.
java:2310)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.access$1200(ServiceLocator
Impl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1395)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1390)
    at
org.glassfish.hk2.utilities.cache.internal.WeakCARCacheImpl.compute(
WeakCARCacheImpl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.internalGetAllServiceHandl
es(ServiceLocatorImpl.java:1452)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(Servi
ceLocatorImpl.java:1377)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(Servi
ceLocatorImpl.java:1366)
    at
org.glassfish.jersey.inject.hk2.AbstractHk2InjectionManager.getAllSe
rviceHolders(AbstractHk2InjectionManager.java:158)
    at
org.glassfish.jersey.inject.hk2.ImmediateHk2InjectionManager.getAllS
erviceHolders(ImmediateHk2InjectionManager.java:54)
    at
org.glassfish.jersey.internal.inject.Providers.getServiceHolders(Pro
viders.java:329)
    at
org.glassfish.jersey.internal.inject.Providers.getProviders(Provider
s.java:157)
    at
```

```
org.glassfish.jersey.message.internal.MessageBodyFactory.initialize(
MessageBodyFactory.java:265)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory$MessageBody
WorkersConfigurator.postInit(MessageBodyFactory.java:136)
    at
org.glassfish.jersey.client.ClientConfig$State.lambda$initRuntime$2(
ClientConfig.java:470)
    at java.base/java.util.Arrays$ArrayList.forEach(Unknown
Source)
    at
org.glassfish.jersey.client.ClientConfig$State.initRuntime(ClientCon
fig.java:470)
    at
org.glassfish.jersey.internal.util.collection.Values$LazyValueImpl.g
et(Values.java:341)
    at
org.glassfish.jersey.client.ClientConfig.getRuntime(ClientConfig.jav
a:826)
    at
org.glassfish.jersey.client.ClientRequest.getConfiguration(ClientReq
uest.java:285)
    at
org.glassfish.jersey.client.JerseyInvocation.validateHttpMethodAndEn
tity(JerseyInvocation.java:143)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:112)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:108)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:99)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.method(JerseyIn
vocation.java:419)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.get(JerseyInvoc
ation.java:319)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.upda
teMissionValues(OCSSWInstallerFormRemote.java:50)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerForm.<init>(OCS
SWInstallerForm.java:116)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.<ini
t>(OCSSWInstallerFormRemote.java:32)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.getProgr
amUI(CallCloProgramAction.java:107)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.actionPe
```



```
java.awt.EventQueueThread.pumpEvents(Unknown Source)
    at java.desktop/java.awt.EventQueueThread.run(Unknown
Source)
Caused by: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller
    at java.base/java.util.concurrent.FutureTask.report(Unknown
Source)
    at java.base/java.util.concurrent.FutureTask.get(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.get(LRUHybridCache.java:164)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:303)
    ... 69 more
Caused by: java.lang.NoClassDefFoundError: javax/xml/bind/
Unmarshaller
    at java.base/java.lang.Class.getDeclaredMethods0(Native
Method)
    at java.base/
java.lang.Class.privateGetDeclaredMethods(Unknown Source)
    at java.base/java.lang.Class.getDeclaredMethods(Unknown
Source)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:104)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.secureGetDeclaredMethods(ClassReflectionHelperUtilities.j
ava:104)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getDeclaredMethodWrappers(ClassReflectionHelperUtilities.
java:133)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:
192)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:
193)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$3.compute(ClassReflectionHelperImpl.java:84)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$3.compute(ClassReflectionHelperImpl.java:80)
```

```
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCache.java:292)
    ... 69 more
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Unmarshaller starting from
ModuleCL@1d06b9c2[gov.nasa.gsfc.seadas.seadas.processing] with
possible defining loaders
[ModuleCL@7e8c206d[eu.esa.opt.opttbx.enmap.reader],
ModuleCL@7f7b8ad9[org.esa.snap.snap.bigstiff],
ModuleCL@54ecd0da[org.esa.snap.ceres.jail],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@79f6d5df[org.esa.snap.snap.classification],
ModuleCL@7d4c7ca[org.esa.snap.snap.remote.products.repository]] and
declared parents [ModuleCL@29863bdd[org.esa.snap.ceres.core],
ModuleCL@6e762690[org.esa.snap.snap.ui],
ModuleCL@665c093[org.esa.snap.snap.rcp],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@17bb3a96[org.esa.snap.snap.gpf.ui],
ModuleCL@5d343197[org.esa.snap.ceres.ui],
ModuleCL@c873eda[org.esa.snap.ceres.binding]]
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:211)
    at
org.netbeans.ProxyClassLoader.loadClass(ProxyClassLoader.java:125)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    ... 86 more
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Unmarshaller
    at java.base/
jdk.internal.loader.BuiltinClassLoader.loadClass(Unknown Source)
    at java.base/
jdk.internal.loader.ClassLoaders$AppClassLoader.loadClass(Unknown Source)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:209)
    ... 88 more
MultiException stack 2 of 4
java.lang.RuntimeException: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
```

```
che.java:315)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl.getAllMethods(ClassReflectionHelperImpl.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl.getPostConstructMethod(ClassReflectionHelperImpl.java:184)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl.access$200(ClassReflectionHelperImpl.java:56)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl$1.compute(ClassReflectionHelperImpl.java:64)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl$1.compute(ClassReflectionHelperImpl.java:60)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCache.java:292)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl.findPostConstruct(ClassReflectionHelperImpl.java:119)
    at
org.jvnet.hk2.internal.Utilities.findPostConstruct(Utilities.java:1460)
    at
org.jvnet.hk2.internal.DefaultClassAnalyzer.getPostConstructMethod(DefaultClassAnalyzer.java:130)
    at
org.glassfish.jersey.inject.hk2.JerseyClassAnalyzer.getPostConstructMethod(JerseyClassAnalyzer.java:252)
    at
org.jvnet.hk2.internal.Utilities.getPostConstruct(Utilities.java:281)
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:169)
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:180)
    at
org.jvnet.hk2.internal.SystemDescriptor.internalReify(SystemDescriptor.java:740)
```

```
        at
org.jvnet.hk2.internal.SystemDescriptor.reify(SystemDescriptor.java:
694)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.reifyDescriptor(ServiceLoc
atorImpl.java:464)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.narrow(ServiceLocatorImpl.
java:2310)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.access$1200(ServiceLocator
Impl.java:128)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1395)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1390)
        at
org.glassfish.hk2.utilities.cache.internal.WeakCARCacheImpl.compute(
WeakCARCacheImpl.java:128)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.internalGetAllServiceHandl
es(ServiceLocatorImpl.java:1452)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(Servi
ceLocatorImpl.java:1377)
        at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(Servi
ceLocatorImpl.java:1366)
        at
org.glassfish.jersey.inject.hk2.AbstractHk2InjectionManager.getAllSe
rviceHolders(AbstractHk2InjectionManager.java:158)
        at
org.glassfish.jersey.inject.hk2.ImmediateHk2InjectionManager.getAllS
erviceHolders(ImmediateHk2InjectionManager.java:54)
        at
org.glassfish.jersey.internal.inject.Providers.getServiceHolders(Pro
viders.java:329)
        at
org.glassfish.jersey.internal.inject.Providers.getProviders(Provider
s.java:157)
        at
org.glassfish.jersey.message.internal.MessageBodyFactory.initialize(
MessageBodyFactory.java:265)
        at
org.glassfish.jersey.message.internal.MessageBodyFactory$MessageBody
WorkersConfigurator.postInit(MessageBodyFactory.java:136)
        at
org.glassfish.jersey.client.ClientConfig$State.lambda$initRuntime$2(
ClientConfig.java:470)
        at java.base/java.util.Arrays$ArrayList.forEach(Unknown
Source)
        at
```

```
org.glassfish.jersey.client.ClientConfig$State.initRuntime(ClientCon
fig.java:470)
    at
org.glassfish.jersey.internal.util.collection.Values$LazyValueImpl.g
et(Values.java:341)
    at
org.glassfish.jersey.client.ClientConfig.getRuntime(ClientConfig.jav
a:826)
    at
org.glassfish.jersey.client.ClientRequest.getConfiguration(ClientReq
uest.java:285)
    at
org.glassfish.jersey.client.JerseyInvocation.validateHttpMethodAndEn
tity(JerseyInvocation.java:143)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:112)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:108)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:99)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.method(JerseyIn
vocation.java:419)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.get(JerseyInvoc
ation.java:319)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.upda
teMissionValues(OCSSWInstallerFormRemote.java:50)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerForm.<init>(OCS
SWInstallerForm.java:116)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.<ini
t>(OCSSWInstallerFormRemote.java:32)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.getProgr
amUI(CallCloProgramAction.java:107)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.actionPe
rformed(CallCloProgramAction.java:151)
    at java.desktop/
javax.swing.JButton.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.JButton$Handler.actionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.setPressed(Unknown Source)
    at java.desktop/javax.swing.JButton.doClick(Unknown
Source)
```

```
        at java.desktop/
com.apple.laf.ScreenMenuItem.actionPerformed(Unknown Source)
        at java.desktop/java.awt.MenuItem.processActionEvent(Unknown
Source)
        at java.desktop/java.awt.MenuItem.processEvent(Unknown
Source)
        at java.desktop/
java.awt.MenuComponent.dispatchEventImpl(Unknown Source)
        at java.desktop/java.awt.MenuComponent.dispatchEvent(Unknown
Source)
        at java.desktop/
java.awt.EventQueue.dispatchEventImpl(Unknown Source)
        at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
        at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
        at java.base/
java.security.AccessController.doPrivileged(Native Method)
        at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
        at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
        at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
        at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
        at java.base/
java.security.AccessController.doPrivileged(Native Method)
        at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
        at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown
Source)
        at
org.netbeans.core.TimableEventQueue.dispatchEvent(TimableEventQueue.
java:136)
        at java.desktop/
java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)
        at java.desktop/
java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
        at java.desktop/
java.awt.EventDispatchThread.pumpEventsForHierarchy(Unknown Source)
        at java.desktop/
java.awt.EventDispatchThread.pumpEvents(Unknown Source)
        at java.desktop/
java.awt.EventDispatchThread.pumpEvents(Unknown Source)
        at java.desktop/java.awt.EventDispatchThread.run(Unknown
Source)
Caused by: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller
        at java.base/java.util.concurrent.FutureTask.report(Unknown
Source)
        at java.base/java.util.concurrent.FutureTask.get(Unknown
Source)
        at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
```

```
ture.get(LRUHybridCache.java:164)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:303)
    ... 79 more
Caused by: java.lang.NoClassDefFoundError: javax/xml/bind/
Unmarshaller
    at java.base/java.lang.Class.getDeclaredMethods0(Native
Method)
    at java.base/
java.lang.Class.privateGetDeclaredMethods(Unknown Source)
    at java.base/java.lang.Class.getDeclaredMethods(Unknown
Source)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities$3.run(ClassReflectionHelperUtilities.java:104)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.secureGetDeclaredMethods(ClassReflectionHelperUtilities.j
ava:104)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getDeclaredMethodWrappers(ClassReflectionHelperUtilities.
java:133)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:
192)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:
193)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$3.compute(ClassReflectionHelperImpl.java:84)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelpe
rImpl$3.compute(ClassReflectionHelperImpl.java:80)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown
Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.run(LRUHybridCache.java:173)
```

```
at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:292)
```

```
... 79 more
```

```
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Unmarshaller starting from
ModuleCL@1d06b9c2[gov.nasa.gsfc.seadas.seadas.processing] with
possible defining loaders
[ModuleCL@7e8c206d[eu.esa.opt.opttbx.enmap.reader],
ModuleCL@7f7b8ad9[org.esa.snap.snap.bigtiff],
ModuleCL@54ecd0da[org.esa.snap.ceres.jai],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@79f6d5df[org.esa.snap.snap.classification],
ModuleCL@7d4c7ca[org.esa.snap.snap.remote.products.repository]] and
declared parents [ModuleCL@29863bdd[org.esa.snap.ceres.core],
ModuleCL@6e762690[org.esa.snap.snap.ui],
ModuleCL@665c093[org.esa.snap.snap.rcp],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@17bb3a96[org.esa.snap.snap.gpf.ui],
ModuleCL@5d343197[org.esa.snap.ceres.ui],
ModuleCL@c873eda[org.esa.snap.ceres.binding]]
```

```
at
```

```
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:211)
```

```
at
```

```
org.netbeans.ProxyClassLoader.loadClass(ProxyClassLoader.java:125)
```

```
at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
```

```
... 96 more
```

```
Caused by: java.lang.ClassNotFoundException:
```

```
javax.xml.bind.Unmarshaller
```

```
at java.base/
```

```
jdk.internal.loader.BuiltinClassLoader.loadClass(Unknown Source)
```

```
at java.base/
```

```
jdk.internal.loader.ClassLoaders$AppClassLoader.loadClass(Unknown
Source)
```

```
at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
```

```
at
```

```
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:209)
```

```
... 98 more
```

```
MultiException stack 3 of 4
```

```
java.lang.RuntimeException: java.util.concurrent.ExecutionException:
```

```
java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller
```

```
at
```

```
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:315)
```

```
at
```

```
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelve
rImpl.getAllMethods(ClassReflectionHelperImpl.java:108)
```

```
at
```

```
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelve
rImpl.getPreDestroyMethod(ClassReflectionHelperImpl.java:209)
```

```
at
```

```
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelve
rImpl.access$400(ClassReflectionHelperImpl.java:56)
```

```
at
```

```
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl$2.compute(ClassReflectionHelperImpl.java:74)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl$2.compute(ClassReflectionHelperImpl.java:70)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCache.java:292)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl.findPreDestroy(ClassReflectionHelperImpl.java:125)
    at
org.jvnet.hk2.internal.Utilities.findPreDestroy(Utilities.java:1476)
    at
org.jvnet.hk2.internal.DefaultClassAnalyzer.getPreDestroyMethod(DefaultClassAnalyzer.java:141)
    at
org.glassfish.jersey.inject.hk2.JerseyClassAnalyzer.getPreDestroyMethod(JerseyClassAnalyzer.java:257)
    at
org.jvnet.hk2.internal.Utilities.getPreDestroy(Utilities.java:303)
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:170)
)
    at
org.jvnet.hk2.internal.ClazzCreator.initialize(ClazzCreator.java:180)
)
    at
org.jvnet.hk2.internal.SystemDescriptor.internalReify(SystemDescriptor.java:740)
    at
org.jvnet.hk2.internal.SystemDescriptor.reify(SystemDescriptor.java:694)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.reifyDescriptor(ServiceLocatorImpl.java:464)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.narrow(ServiceLocatorImpl.java:2310)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.access$1200(ServiceLocatorImpl.java:128)
    at
```

```
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorImpl.java:1395)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorImpl.java:1390)
    at
org.glassfish.hk2.utilities.cache.internal.WeakCARCacheImpl.compute(WeakCARCacheImpl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.internalGetAllServiceHandles(ServiceLocatorImpl.java:1452)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(ServiceLocatorImpl.java:1377)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(ServiceLocatorImpl.java:1366)
    at
org.glassfish.jersey.inject.hk2.AbstractHk2InjectionManager.getAllServiceHolders(AbstractHk2InjectionManager.java:158)
    at
org.glassfish.jersey.inject.hk2.ImmediateHk2InjectionManager.getAllServiceHolders(ImmediateHk2InjectionManager.java:54)
    at
org.glassfish.jersey.internal.inject.Providers.getServiceHolders(Providers.java:329)
    at
org.glassfish.jersey.internal.inject.Providers.getProviders(Providers.java:157)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory.initialize(MessageBodyFactory.java:265)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory$MessageBodyWorkersConfigurator.postInit(MessageBodyFactory.java:136)
    at
org.glassfish.jersey.client.ClientConfig$State.lambda$initRuntime$2(ClientConfig.java:470)
    at java.base/java.util.Arrays$ArrayList.forEach(Unknown Source)
    at
org.glassfish.jersey.client.ClientConfig$State.initRuntime(ClientConfig.java:470)
    at
org.glassfish.jersey.internal.util.collection.Values$LazyValueImpl.get(Values.java:341)
    at
org.glassfish.jersey.client.ClientConfig.getRuntime(ClientConfig.java:826)
    at
org.glassfish.jersey.client.ClientRequest.getConfiguration(ClientRequest.java:285)
    at
org.glassfish.jersey.client.JerseyInvocation.validateHttpMethodAndEn
```

```
tity(JerseyInvocation.java:143)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:112)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:108)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation
.java:99)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.method(JerseyIn
vocation.java:419)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.get(JerseyInvoc
ation.java:319)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.upda
teMissionValues(OCSSWInstallerFormRemote.java:50)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerForm.<init>(OCS
SWInstallerForm.java:116)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.<ini
t>(OCSSWInstallerFormRemote.java:32)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.getProgr
amUI(CallCloProgramAction.java:107)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.actionPe
rformed(CallCloProgramAction.java:151)
    at java.desktop/
javax.swing.AbstractButton.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.AbstractButton$Handler.actionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.setPressed(Unknown Source)
    at java.desktop/javax.swing.AbstractButton.doClick(Unknown
Source)
    at java.desktop/
com.apple.laf.ScreenMenuItem.actionPerformed(Unknown Source)
    at java.desktop/java.awt.MenuItem.processActionEvent(Unknown
Source)
    at java.desktop/java.awt.MenuItem.processEvent(Unknown
Source)
    at java.desktop/
java.awt.MenuComponent.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.MenuComponent.dispatchEvent(Unknown
Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
```

```
        at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
        at java.base/
java.security.AccessController.doPrivileged(Native Method)
        at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
        at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
        at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
        at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
        at java.base/
java.security.AccessController.doPrivileged(Native Method)
        at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
        at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown
Source)
        at
org.netbeans.core.TimableEventQueue.dispatchEvent(TimableEventQueue.
java:136)
        at java.desktop/
java.awt.EventQueueDispatchThread.pumpOneEventForFilters(Unknown Source)
        at java.desktop/
java.awt.EventQueueDispatchThread.pumpEventsForFilter(Unknown Source)
        at java.desktop/
java.awt.EventQueueDispatchThread.pumpEventsForHierarchy(Unknown Source)
        at java.desktop/
java.awt.EventQueueDispatchThread.pumpEvents(Unknown Source)
        at java.desktop/
java.awt.EventQueueDispatchThread.pumpEvents(Unknown Source)
        at java.desktop/java.awt.EventQueueDispatchThread.run(Unknown
Source)
Caused by: java.util.concurrent.ExecutionException:
java.lang.NoClassDefFoundError: javax/xml/bind/Unmarshaller
        at java.base/java.util.concurrent.FutureTask.report(Unknown
Source)
        at java.base/java.util.concurrent.FutureTask.get(Unknown
Source)
        at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFu
ture.get(LRUHybridCache.java:164)
        at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCa
che.java:303)
        ... 79 more
Caused by: java.lang.NoClassDefFoundError: javax/xml/bind/
Unmarshaller
        at java.base/java.lang.Class.getDeclaredMethods0(Native
Method)
        at java.base/
java.lang.Class.privateGetDeclaredMethods(Unknown Source)
        at java.base/java.lang.Class.getDeclaredMethods(Unknown
Source)
```

```
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities$3.run(ClassReflectionHelperUtilities.java:108)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities$3.run(ClassReflectionHelperUtilities.java:104)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities.secureGetDeclaredMethods(ClassReflectionHelperUtilities.java:104)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities.getDeclaredMethodWrappers(ClassReflectionHelperUtilities.java:133)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:192)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperUtilities.getAllMethodWrappers(ClassReflectionHelperUtilities.java:193)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl$3.compute(ClassReflectionHelperImpl.java:84)
    at
org.glassfish.hk2.utilities.reflection.internal.ClassReflectionHelperImpl$3.compute(ClassReflectionHelperImpl.java:80)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:115)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture$1.call(LRUHybridCache.java:111)
    at java.base/java.util.concurrent.FutureTask.run(Unknown Source)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache$OriginThreadAwareFuture.run(LRUHybridCache.java:173)
    at
org.glassfish.hk2.utilities.cache.LRUHybridCache.compute(LRUHybridCache.java:292)
    ... 79 more
```

Caused by: java.lang.ClassNotFoundException:  
javax.xml.bind.Unmarshaler starting from  
ModuleCL@1d06b9c2[`gov.nasa.gsfc.seadas.seadas.processing`] with  
possible defining loaders  
[ModuleCL@7e8c206d[`eu.esa.opt.opttbx.enmap.reader`],  
ModuleCL@7f7b8ad9[`org.esa.snap.snap.bigstiff`],  
ModuleCL@54ecd0da[`org.esa.snap.ceres.jai`],  
ModuleCL@6d6d4255[`org.esa.snap.snap.core`],  
ModuleCL@79f6d5df[`org.esa.snap.snap.classification`],

```
ModuleCL@7d4c7ca[org.esa.snap.snap.remote.products.repository]] and
declared parents [ModuleCL@29863bdd[org.esa.snap.ceres.core],
ModuleCL@6e762690[org.esa.snap.snap.ui],
ModuleCL@665c093[org.esa.snap.snap.rcp],
ModuleCL@6d6d4255[org.esa.snap.snap.core],
ModuleCL@17bb3a96[org.esa.snap.snap.gpf.ui],
ModuleCL@5d343197[org.esa.snap.ceres.ui],
ModuleCL@c873eda[org.esa.snap.ceres.binding]]
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:211)
    at
org.netbeans.ProxyClassLoader.loadClass(ProxyClassLoader.java:125)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    ... 96 more
Caused by: java.lang.ClassNotFoundException:
javax.xml.bind.Unmarshaller
    at java.base/
jdk.internal.loader.BuiltinClassLoader.loadClass(Unknown Source)
    at java.base/
jdk.internal.loader.ClassLoaders$AppClassLoader.loadClass(Unknown
Source)
    at java.base/java.lang.ClassLoader.loadClass(Unknown Source)
    at
org.netbeans.ProxyClassLoader.doFindClass(ProxyClassLoader.java:209)
    ... 98 more
MultiException stack 4 of 4
java.lang.IllegalArgumentException: Errors were discovered while
reifying SystemDescriptor(
implementation=org.glassfish.jersey.jaxb.internal.XmlRootElementJaxb
Provider$General

contracts={javax.ws.rs.ext.MessageBodyWriter, javax.ws.rs.ext.Message
BodyReader}
    scope=javax.inject.Singleton
    qualifiers={}
    descriptorType=CLASS
    descriptorVisibility=NORMAL
    metadata=
    rank=0
    loader=null
    proxiabile=null
    proxyForSameScope=null
    analysisName=null
    id=70
    locatorId=9
    identityHashCode=175249453
    reified=false)
    at
org.jvnet.hk2.internal.SystemDescriptor.reify(SystemDescriptor.java:
705)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.reifyDescriptor(ServiceLoc
atorImpl.java:464)
```

```
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.narrow(ServiceLocatorImpl.
java:2310)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.access$1200(ServiceLocator
Impl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1395)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl$9.compute(ServiceLocatorIm
pl.java:1390)
    at
org.glassfish.hk2.utilities.cache.internal.WeakCARCacheImpl.compute(
WeakCARCacheImpl.java:128)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.internalGetAllServiceHandl
es(ServiceLocatorImpl.java:1452)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(Servi
ceLocatorImpl.java:1377)
    at
org.jvnet.hk2.internal.ServiceLocatorImpl.getAllServiceHandles(Servi
ceLocatorImpl.java:1366)
    at
org.glassfish.jersey.inject.hk2.AbstractHk2InjectionManager.getAllSe
rviceHolders(AbstractHk2InjectionManager.java:158)
    at
org.glassfish.jersey.inject.hk2.ImmediateHk2InjectionManager.getAllS
erviceHolders(ImmediateHk2InjectionManager.java:54)
    at
org.glassfish.jersey.internal.inject.Providers.getServiceHolders(Pro
viders.java:329)
    at
org.glassfish.jersey.internal.inject.Providers.getProviders(Provider
s.java:157)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory.initialize(
MessageBodyFactory.java:265)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory$MessageBody
WorkersConfigurator.postInit(MessageBodyFactory.java:136)
    at
org.glassfish.jersey.client.ClientConfig$State.lambda$initRuntime$2(
ClientConfig.java:470)
    at java.base/java.util.Arrays$ArrayList.forEach(Unknown
Source)
    at
org.glassfish.jersey.client.ClientConfig$State.initRuntime(ClientCon
fig.java:470)
    at
org.glassfish.jersey.internal.util.collection.Values$LazyValueImpl.g
et(Values.java:341)
    at
```

```
org.glassfish.jersey.client.ClientConfig.getRuntime(ClientConfig.java:826)
    at
org.glassfish.jersey.client.ClientRequest.getConfiguration(ClientRequest.java:285)
    at
org.glassfish.jersey.client.JerseyInvocation.validateHttpMethodAndEntity(JerseyInvocation.java:143)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:112)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:108)
    at
org.glassfish.jersey.client.JerseyInvocation.<init>(JerseyInvocation.java:99)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.method(JerseyInvocation.java:419)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.get(JerseyInvocation.java:319)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.updateMissionValues(OCSSWInstallerFormRemote.java:50)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerForm.<init>(OCSSWInstallerForm.java:116)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.<init>(OCSSWInstallerFormRemote.java:32)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.getProgramUI(CallCloProgramAction.java:107)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.actionPerformed(CallCloProgramAction.java:151)
    at java.desktop/
javax.swing.AbstractButton.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.AbstractButton$Handler.actionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.setPressed(Unknown Source)
    at java.desktop/javax.swing.AbstractButton.doClick(Unknown Source)
    at java.desktop/
com.apple.laf.ScreenMenuItem.actionPerformed(Unknown Source)
    at java.desktop/java.awt.MenuItem.processActionEvent(Unknown Source)
    at java.desktop/java.awt.MenuItem.processEvent(Unknown Source)
```

```
    at java.desktop/
java.awt.MenuComponent.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.MenuComponent.dispatchEvent(Unknown
Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown
Source)
    at
org.netbeans.core.TimableEventQueue.dispatchEvent(TimableEventQueue.
java:136)
    at java.desktop/
java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForHierarchy(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(Unknown Source)
    at java.desktop/java.awt.EventDispatchThread.run(Unknown
Source)
```

SEVERE [global]

```
java.lang.NoClassDefFoundError: javax/xml/bind/annotation/XmlElement
    at
com.fasterxml.jackson.module.jaxb.JaxbAnnotationIntrospector.<init>(
JaxbAnnotationIntrospector.java:139)
    at
com.fasterxml.jackson.module.jaxb.JaxbAnnotationIntrospector.<init>(
JaxbAnnotationIntrospector.java:126)
    at
com.fasterxml.jackson.module.jaxb.JaxbAnnotationIntrospector.<init>(
JaxbAnnotationIntrospector.java:118)
    at java.base/
jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Nati
```

```
ve Method)
    at java.base/
jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
    at java.base/
jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)
    at java.base/
java.lang.reflect.Constructor.newInstance(Unknown Source)
    at java.base/java.lang.Class.newInstance(Unknown Source)
    at
org.glassfish.jersey.jackson.internal.jackson.jaxrs.json.JsonMapperConfigurator._resolveIntrospector(JsonMapperConfigurator.java:113)
    at
org.glassfish.jersey.jackson.internal.jackson.jaxrs.json.JsonMapperConfigurator._resolveIntrospectors(JsonMapperConfigurator.java:86)
    at
org.glassfish.jersey.jackson.internal.jackson.jaxrs.cfg.MapperConfiguratorBase._setAnnotations(MapperConfiguratorBase.java:123)
    at
org.glassfish.jersey.jackson.internal.jackson.jaxrs.json.JsonMapperConfigurator.getDefaultMapper(JsonMapperConfigurator.java:47)
    at
org.glassfish.jersey.jackson.internal.jackson.jaxrs.base.ProviderBase.locateMapper(ProviderBase.java:955)
    at
org.glassfish.jersey.jackson.internal.jackson.jaxrs.base.ProviderBase._endpointForReading(ProviderBase.java:881)
    at
org.glassfish.jersey.jackson.internal.jackson.jaxrs.base.ProviderBase.readFrom(ProviderBase.java:789)
    at
org.glassfish.jersey.message.internal.ReaderInterceptorExecutor$TerminalReaderInterceptor.invokeReadFrom(ReaderInterceptorExecutor.java:257)
    at
org.glassfish.jersey.message.internal.ReaderInterceptorExecutor$TerminalReaderInterceptor.aroundReadFrom(ReaderInterceptorExecutor.java:236)
    at
org.glassfish.jersey.message.internal.ReaderInterceptorExecutor.proceed(ReaderInterceptorExecutor.java:156)
    at
org.glassfish.jersey.message.internal.MessageBodyFactory.readFrom(MessageBodyFactory.java:1091)
    at
org.glassfish.jersey.message.internal.InboundMessageContext.readEntity(InboundMessageContext.java:874)
    at
org.glassfish.jersey.message.internal.InboundMessageContext.readEntity(InboundMessageContext.java:834)
    at
org.glassfish.jersey.client.ClientResponse.readEntity(ClientResponse.java:363)
```

```
    at
org.glassfish.jersey.client.JerseyInvocation.translate(JerseyInvocation.java:936)
    at
org.glassfish.jersey.client.JerseyInvocation.lambda$invoke$2(JerseyInvocation.java:787)
    at
org.glassfish.jersey.internal.Errors.process(Errors.java:316)
    at
org.glassfish.jersey.internal.Errors.process(Errors.java:298)
    at
org.glassfish.jersey.internal.Errors.process(Errors.java:229)
    at
org.glassfish.jersey.process.internal.RequestScope.runInScope(RequestScope.java:414)
    at
org.glassfish.jersey.client.JerseyInvocation.invoke(JerseyInvocation.java:785)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.method(JerseyInvocation.java:438)
    at
org.glassfish.jersey.client.JerseyInvocation$Builder.get(JerseyInvocation.java:329)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.updateMissionValues(OCSSWInstallerFormRemote.java:52)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerForm.<init>(OCSSWInstallerForm.java:116)
    at
gov.nasa.gsfc.seadas.processing.common.OCSSWInstallerFormRemote.<init>(OCSSWInstallerFormRemote.java:32)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.getProgramUI(CallCloProgramAction.java:107)
    at
gov.nasa.gsfc.seadas.processing.common.CallCloProgramAction.actionPerformed(CallCloProgramAction.java:151)
    at java.desktop/
javax.swing.AbstractButton.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.AbstractButton$Handler.actionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.fireActionPerformed(Unknown Source)
    at java.desktop/
javax.swing.DefaultButtonModel.setPressed(Unknown Source)
    at java.desktop/javax.swing.AbstractButton.doClick(Unknown Source)
    at java.desktop/
com.apple.laf.ScreenMenuItem.actionPerformed(Unknown Source)
    at java.desktop/java.awt.MenuItem.processActionEvent(Unknown Source)
    at java.desktop/java.awt.MenuItem.processEvent(Unknown
```

```
Source)
    at java.desktop/
java.awt.MenuComponent.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.MenuComponent.dispatchEvent(Unknown
Source)
    at java.desktop/
java.awt.EventQueue.dispatchEventImpl(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$4.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.desktop/java.awt.EventQueue$5.run(Unknown Source)
    at java.base/
java.security.AccessController.doPrivileged(Native Method)
    at java.base/
java.security.ProtectionDomain$JavaSecurityAccessImpl.doIntersection
Privilege(Unknown Source)
    at java.desktop/java.awt.EventQueue.dispatchEvent(Unknown
Source)
[catch] at
org.netbeans.core.TimableEventQueue.dispatchEvent(TimableEventQueue.
java:136)
    at java.desktop/
java.awt.EventDispatchThread.pumpOneEventForFilters(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForFilter(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEventsForHierarchy(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(Unknown Source)
    at java.desktop/
java.awt.EventDispatchThread.pumpEvents(Unknown Source)
    at java.desktop/java.awt.EventDispatchThread.run(Unknown
Source)
```